

# HOSET



## DOORS IN STOCK **SD LIGHT BLACK**

*Primed doors in stock "SecretDoors Light" with polymer painting of the aluminum door jamb profile and the door leaf frame in black.*

- ◆ NEW SD LIGHT LINE - IS THE ALUMINIUM DOOR LEAF FRAME WITH THE RELIABLE WELDED
- ◆ JOINTS. WATERPROOF MDF 6mm THE DOOR LEAF IS FINISHED WITH THE POLYURETHANE
- ◆ PRIMER AND DOES NOT REQUIRE ADDITIONAL PROCESSING
- ◆ RELIABLE HIGH-QUALITY ITALIAN ACCESSORIES
- ◆ THE DOOR UNITS ARE SUPPLIED PRE-ASSEMBLED AND FULLY READY FOR INSTALLATION
- ◆ **2 YEARS** WARRANTY


HOSET

## concealed doors

HOSET

### ◇ SD LIGHT DOOR JAMB "STANDARD" 40mm

aluminium door leaf frame with the outside opening



DIMENSIONS	HEIGHT mm	WIDTH mm		
		686	786	886
OPENING	2053	686	786	886
DOOR UNIT	2043	666	766	866
DOOR LEAF	2000	600	700	800


Outside opening only  
S2



## concealed doors

### ◇ SD LIGHT DOOR JAMB «UNIVERSAL» 45mm

aluminium door leaf frame with the inside opening



DIMENSIONS	HEIGHT mm	WIDTH mm		
		686	786	886
OPENING	2065	686	786	886
DOOR UNIT	2055	666	766	866
DOOR LEAF	2000	600	700	800
	2012			


Inside opening  
S1



Outside opening  
S2



## ↕ Adjacent doors with the different opening types




To place adjacent doors with the different opening types ("pull" and "push") on the same level it is important to take into account the difference of the door frame height of 12 mm.

Consider that for such a set the combination of the doors SD Light with the "Standard" frame for the outside opening and the doors with the "Universal" frame for the inside opening is used.

### PAINTING OPTION

The possible painting of the door leaf on the RAL, NCS palettes:  
 +140€ to the door unit value; delivery terms are increased till 45 days;

## 📦 Door unit set



## advantages of SD Light

-   
 Fully assembled door unit
-   
 Quality certificate
-   
 Polyurethane primer
-   
 Welded door unit structure
-   
 Italian accessories
-   
 Made in Ukraine
-   
 2 years warranty

## 📄 Customer information

- SD Light doors have a new optimized door leaf structure and aluminium door leaf frame with the welded connection due to which the highest level of reliability is reached
- SD Light door units are equipped with the high-quality Italian accessories with the resources of 500.000 close/open cycles (up to 30 years of intensive usage)


\*A producer retains the right to make the changes in the construction and assembly for the sake of the product improvement without a preliminary agreement with the client.

# CONCEALED SKIRTING BOARD

## CONCEALED SKIRTING BOARD SET


### ◇ ALUMINIUM BASE

Bar length 2 metres



### ◇ CONCEALED SKIRTING BOARD INSERT

Bar length 2 metres



PRIMED MDF,  
HEIGHT 60, 70 or 80mm

# HOSET

044 744 1465

myynti@hoset.fi

MiiA Rakennus Oy,

Akerlundinkatu 11A, 33100 Tampere

Open: by appointment

Call center daily from 9:00 to 22:00



hoset.fi