


# HOSET

## LIGHTING SOLUTIONS



WORKING CATALOGUE

Indoor

Ceiling recessed



RIO

16

RIO A


18

DROP IN

20

CELL

22



KARDAN

24

INVISIBLE SQUARE

26

INVISIBLE MINI R

26

TUB M R

30



TUB M IN

32

TUB M OUT

36

SOL IN


38

NANO TUB S

42

Indoor

Ceiling recessed



NANO R TRIMLESS

44

NANO S

46

NANO R WALL  
WASHER

48

NANO S WALL  
WASHER

49



VARIO LINEA

51


VARIO COMFORT

54

VARIO WALL  
WASHER

56

Wall recessed



IN WALL RING

58

IN WALL O


58

Indoor

Wall surface



**BUTTON R**  
60



**BUTTON SM**  
62




**STRAIGHT**  
64



**ROD**  
68



**SLIMLINE**  
72



**SFERA WALL S**  
76



**SFERA WALL M**  
78

Indoor

Ceiling surface



**TUB M**  
80



**TUB L**  
87



**ROLL**  
88




**BLOCK**  
90



**BOX**  
91



**SOL SURF**  
92



**TURBINE**  
94



**DISK**  
96



**BRIGHT**  
98



**FLAT S**  
99



**FLAT R**  
100

Indoor

Ceiling suspended



TUB XS P  
104



MATCH S P  
106



TUB S P  
110



TUB S P ZOOM  
116



TUB M P  
118



TUB M P ZOOM  
122



BALL  
124



SLIMLINE  
128



POINTER  
130



OFFICE  
132



PROFILE  
134

Floor



POINTER FLOOR  
136

Indoor

Track 42V



MINI\_LINE 42  
TRACK S  
140


Tracklights 42V




MINI\_LINE 42  
LINEA  
144



MINI\_LINE 42  
COMFORT  
146




MINI\_LINE 42  
TUB XS  
148



MINI\_LINE 42  
TUB S  
150

Indoor

Track 48V




IN\_LINE  
TRACK T  
154

IN\_LINE  
TRACK R  
156

IN\_LINE  
TRACK S  
158

IN\_LINE SHORT  
TRACK S  
166

Tracklights 48V



IN\_LINE  
LINEA  
178

IN\_LINE  
COMFORT  
180

IN\_LINE  
WALL WASHER  
181

IN\_LINE  
TUB XS  
182



IN\_LINE  
COMFORT B 205  
184

IN\_LINE  
LINEA B 205  
184

IN\_LINE LED  
INDIRECT  
186

Indoor

Tracklights 48V




IN\_LINE  
TUB XS  
188

IN\_LINE  
TUB S  
190

IN\_LINE  
TUB S X2  
191

IN\_LINE  
ZOOM  
192




IN\_LINE  
TUB M NB  
193

IN\_LINE  
GALLERY  
194

IN\_LINE  
TUB M A 90  
196

IN\_LINE  
TUB M A 140  
198



IN\_LINE  
SOL MINI  
200


IN\_LINE  
SOL  
201

IN\_LINE  
WIN  
202

IN\_LINE  
SFERA  
202

Indoor

Tracklights 48V



IN\_LINE  
ART  
202

IN\_LINE  
STICKS  
204

IN\_LINE  
BALL M  
206

IN\_LINE  
BALL L  
207



IN\_LINE  
TUB XS P  
208

IN\_LINE  
MATCH  
210

IN\_LINE  
TUB S P  
212

IN\_LINE  
TUB S P ZOOM  
215



IN\_LINE  
TUB M P  
216

IN\_LINE  
TUB M P ZOOM  
217

IN\_LINE  
CONE  
218

IN\_LINE  
DISK  
218

Indoor

Tracklights 48V



IN\_LINE  
LINEA  
222

IN\_LINE  
COMFORT  
222

IN\_LINE  
LINEA B 205  
223

IN\_LINE  
COMFORT B 205  
223



IN\_LINE  
TUB S A 60  
224

IN\_LINE  
TUB M A 90  
224

IN\_LINE  
TUB M A 140  
225

IN\_LINE  
SOL  
226

Outdoor

Ceiling



**RAIN IP**  
232

**KASK**  
234

**BARREL76 S**  
234

**BIM70 S**  
236

Wall surface



**GRAPH1**  
238

**GRAPH2**  
238

**BRICK 1**  
240

**BRICK 2**  
240




**BUTTON IP**  
242

**ON WALL**  
244

**ON WALL IP**  
246

**WIN IP**  
248

Wall recessed



**IN WALL IP**  
250

**IN WALL IP**  
252

**IN WALL DOT**  
254

Spot light




**VISOR50**  
256

**VISOR72**  
256

**VISOR140**  
258

Outdoor

In ground



**UPP77**  
260

**UPP77 WW**  
260

**UPP 220V**  
260

Bollards



**BARD1 68**  
262

**BARD2**  
264

**BARD3**  
266

**BARD4**  
268



**BARD5**  
270

**BARD6**  
272



**YARD 2**  
274

**YARD**  
276

**YARD 1**  
276

Indoor

LED Strip



120 LED/m  
3000K/4000K  
280



120 LED/m  
2300K  
284



128 LED/m  
3000K  
286



192 LED/m  
3000K/4000K  
288



COF LED  
3000K/4000K  
290



120 LED/m  
RGB  
292



168 LED/m  
RGB  
292



60 LED/m  
RGBW  
294



140 LED/m  
TUNABLE WHITE  
296




NEON LED STRIP  
3000K/4000K  
298




FLEXY  
2700K/3000K  
300

Indoor


Profile recessed




PROFILE  
COUNTUR  
302




PROFILE  
CENTRAL 1  
304



PROFILE  
CENTRAL 2  
304




PROFILE  
COUNTUR TRIM  
305



PROFILE  
MINI TRIM  
305




PROFILE  
IN  
306




PROFILE  
OUT  
306




PROFILE  
IN SURF  
309



PROFILE  
FLOOR IN  
310




PROFILE  
FLOOR IN  
310



PROFILE  
FLOOR  
311



# RIO




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6480.10.930.WH	924	9	3000	>90	250	White
01.6480.10.930.BK	924	9	3000	>90	250	Black
01.6480.10.940.WH	989	9	4000	>90	250	White
01.6480.10.940.BK	989	9	4000	>90	250	Black



MATERIAL | AL

» 318

# RIO F1



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6480F1.10.930.WH	924	9	3000	>90	250	White
01.6480F1.10.930.BK	924	9	3000	>90	250	Black
01.6480F1.10.940.WH	989	9	4000	>90	250	White
01.6480F1.10.940.BK	989	9	4000	>90	250	Black




MATERIAL | AL

» 318




01.6480.10.930.BK



01.6480F1.10.930.BK

# RIO F2




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6480F2.20.930.WH	2 x 924	2 x 9	3000	>90	250	White
01.6480F2.20.930.BK	2 x 924	2 x 9	3000	>90	250	Black
01.6480F2.20.940.WH	2 x 989	2 x 9	4000	>90	250	White
01.6480F2.20.940.BK	2 x 989	2 x 9	4000	>90	250	Black



MATERIAL | AL

» 318

# RIO F3



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6480F3.30.930.WH	3 x 924	3 x 9	3000	>90	250	White
01.6480F3.30.930.BK	3 x 924	3 x 9	3000	>90	250	Black
01.6480F3.30.940.WH	3 x 989	3 x 9	4000	>90	250	White
01.6480F3.30.940.BK	3 x 989	3 x 9	4000	>90	250	Black



MATERIAL | AL

» 318




01.6480F2.20.930.BK



01.6480F3.30.930.BK

# RIO A




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6490.10.930.WH	924	9	3000	>90	250	White
01.6490.10.930.BK	924	9	3000	>90	250	Black
01.6490.10.940.WH	989	9	4000	>90	250	White
01.6490.10.940.BK	989	9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318

# RIO A F1




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6490F1.10.930.WH	924	9	3000	>90	250	White
01.6490F1.10.930.BK	924	9	3000	>90	250	Black
01.6490F1.10.940.WH	989	9	4000	>90	250	White
01.6490F1.10.940.BK	989	9	4000	>90	250	Black



MATERIAL | AL



[i](#) » 318



01.6490.10.930.BK

01.6490F1.10.930.BK

# RIO A F2




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6490F2.20.930.WH	2 x 924	2 x 9	3000	>90	250	White
01.6490F2.20.930.BK	2 x 924	2 x 9	3000	>90	250	Black
01.6490F2.20.940.WH	2 x 989	2 x 9	4000	>90	250	White
01.6490F2.20.940.BK	2 x 989	2 x 9	4000	>90	250	Black



MATERIAL | AL



[i](#) » 318



01.6490F2.20.930.WH

01.6490F2.20.930.BK

# DROP IN



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.7754.13.930.GL	1041	13	3000	>90	350	Transparent
01.7754.13.940.GL	1041	13	4000	>90	350	Transparent




MATERIAL | AL GL

» 318



## CELL




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2010.10.930.WH	924	9	3000	>90	250	White
01.2010.10.930.BK	924	9	3000	>90	250	Black
01.2010.10.940.WH	989	9	4000	>90	250	White
01.2010.10.940.BK	989	9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318

## CELL 2




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.20F2.20.930.WH	2 x 924	2 x 9	3000	>90	250	White
01.20F2.20.930.BK	2 x 924	2 x 9	3000	>90	250	Black
01.20F2.20.940.WH	2 x 989	2 x 9	4000	>90	250	White
01.20F2.20.940.BK	2 x 989	2 x 9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318




01.2010.10.930.BK



01.20F2.20.930.BK

## CELL 3



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.20F3.30.930.WH	3 x 924	3 x 9	3000	>90	250	White
01.20F3.30.930.BK	3 x 924	3 x 9	3000	>90	250	Black
01.20F3.30.940.WH	3 x 989	3 x 9	4000	>90	250	White
01.20F3.30.940.BK	3 x 989	3 x 9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318




01.20F3.30.930.WH



01.20F3.30.930.BK

## KARDAN 1




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6100.13.930.WHW	924	9	3000	>90	250	White/White
01.6100.13.930.WH	924	9	3000	>90	250	White
01.6100.13.930.BK	924	9	3000	>90	250	Black
01.6100.13.940.WHW	989	9	4000	>90	250	White/White
01.6100.13.940.WH	989	9	4000	>90	250	White
01.6100.13.940.BK	989	9	4000	>90	250	Black




MATERIAL | AL

» 318

## KARDAN 2




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6110.26.930.WHW	2 x 924	2 x 9	3000	>90	250	White/White
01.6110.26.930.WH	2 x 924	2 x 9	3000	>90	250	White
01.6110.26.930.BK	2 x 924	2 x 9	3000	>90	250	Black
01.6110.26.940.WHW	2 x 989	2 x 9	4000	>90	250	White/White
01.6110.26.940.WH	2 x 989	2 x 9	4000	>90	250	White
01.6110.26.940.BK	2 x 989	2 x 9	4000	>90	250	Black




MATERIAL | AL


» 318



01.6110.26.930.WHW




01.6110.26.930.WH



01.6110.26.930.BK



# INVISIBLE SQUARE




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2212.9.930.WH	924	9	3000	>90	250	White
01.2212.9.930.BK	924	9	3000	>90	250	Black
01.2212.9.940.WH	989	9	4000	>90	250	White
01.2212.9.940.BK	989	9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318

# INVISIBLE MINI R



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2200.7.930.WH	640	6,3	3000	>90	350	White
01.2200.7.930.BK	640	6,3	3000	>90	350	Black
01.2200.7.930.BR	640	6,3	3000	>90	350	Brass
01.2200.7.940.WH	640	6,3	4000	>90	350	White
01.2200.7.940.BK	640	6,3	4000	>90	350	Black
01.2200.7.940.BR	640	6,3	4000	>90	350	Brass



MATERIAL | AL


[i](#) » 318



01.2200.7.930.WH



01.2200.7.930.BK




01.2200.7.930.BR



Ceiling recessed

## TUB M TRIMLESS



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0597.11.930.WH	1210	11	3000	>90	300	White
01.0597.11.930.BK	1210	11	3000	>90	300	Black
01.0597.11.940.WH	1210	11	4000	>90	300	White
01.0597.11.940.BK	1210	11	4000	>90	300	Black

### ACCESSORIES

	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30


» 313



MATERIAL | AL

» 318

## TUB M TRIM



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0599.11.930.WH	1210	11	3000	>90	300	White
01.0599.11.930.BK	1210	11	3000	>90	300	Black
01.0599.11.940.WH	1210	11	4000	>90	300	White
01.0599.11.940.BK	1210	11	4000	>90	300	Black

### ACCESSORIES

	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

» 313




MATERIAL | AL

» 318

Ceiling recessed



# TUB M R



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0598.11.930.WH	1210	11	3000	>90	300	White
01.0598.11.930.BK	1210	11	3000	>90	300	Black
01.0598.11.940.WH	1210	11	4000	>90	300	White
01.0598.11.940.BK	1210	11	4000	>90	300	Black

### ACCESSORIES

	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

[i](#) » 313



MATERIAL | AL


[i](#) » 318






Ceiling recessed

## TUB M IN




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0590.9.930.WH	1210	9	3000	>90	250	White
01.0590.9.930.BK	1210	9	3000	>90	250	Black
01.0590.9.940.WH	1321	9	4000	>90	250	White
01.0590.9.940.BK	1321	9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318

## TUB M INT



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0592.9.930.WH	1210	9	3000	>90	250	White
01.0592.9.930.BK	1210	9	3000	>90	250	Black
01.0592.9.940.WH	1321	9	4000	>90	250	White
01.0592.9.940.BK	1321	9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318

### ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

[i](#) » 313



01.0592.9.930.WH+06.A05SH.BR



01.0592.9.930.BK + 06.A05SH.BR



01.0592.9.930.WH+06.A05SH.CP




01.0592.9.930.BK+06.A05SH.CP

Ceiling recessed



# TUB S OUT



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0303.4.930.WH	340	4	3000	>90	350	White
01.0303.4.930.BK	340	4	3000	>90	350	Black
01.0303.4.930.BR/BK	340	4	3000	>90	350	Brass /Black



MATERIAL | AL

» 318




01.0303.4.930.WH

01.0303.4.930.BK


01.0303.4.930.BR/BK



## TUB M OUT TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0594.9.930.WH	1210	12	3000	>90	300	White
01.0594.9.930.BK	1210	12	3000	>90	300	Black
<b>NEW</b> 01.0594.9.930.BR	1210	12	3000	>90	300	Brass
01.0594.9.940.WH	1210	12	4000	>90	300	White
01.0594.9.940.BK	1210	12	4000	>90	300	Black
<b>NEW</b> 01.0594.9.940.BR	1210	12	4000	>90	300	Brass



MATERIAL | AL

» 318

## TUB M OUT




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0593.9.930.WH	1210	12	3000	>90	300	White
01.0593.9.930.BK	1210	12	3000	>90	300	Black
<b>NEW</b> 01.0593.9.930.BR	1210	12	3000	>90	300	Brass
01.0593.9.940.WH	1210	12	4000	>90	300	White
01.0593.9.940.BK	1210	12	4000	>90	300	Black
<b>NEW</b> 01.0593.9.940.BR	1210	12	4000	>90	300	Brass



MATERIAL | AL

» 318

## TUB M OUT NB TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
01.0595.9.930.WH	750	9	3000	>90	220	White



MATERIAL | AL

» 318

## TUB M OUT NB




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
01.0596.9.930.WH	750	9	3000	>90	220	White



MATERIAL | AL

» 318



01.0593.9.930.WH


01.0593.9.930.BK

01.0593.9.930.BR

# SOL IN MINI




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.7526.7.930.WH	624	7	3000	>90	350	White
01.7526.7.930.BK	624	7	3000	>90	350	Black
01.7526.7.940.WH	624	7	4000	>90	350	White
01.7526.7.940.BK	624	7	4000	>90	350	Black



MATERIAL | AL

» 318



### ACCESSORIES

	Replaceable ring. White color	SOL M RING WHITE
	Replaceable ring. Black color	SOL M RING BLACK
	Replaceable ring. Copper color	SOL M RING COPPER
	Replaceable ring. Brass color	SOL M RING BRASS
	Replaceable ring. Chrome color	SOL M RING CHROME
	Replaceable ring. Diamond black color	SOL M RING DIAMOND BLACK

NEW

» 313



01.7526.7.930.WH + SOL M RING BRASS



01.7526.7.930.WH + SOL M RING COPPER



01.7526.7.930.WH + SOL M RING CHROME



01.7526.7.930.WH + SOL M RING DIAMOND BLACK

NEW



01.7526.7.930.BK + SOL M RING BRASS



01.7526.7.930.BK + SOL M RING COPPER



01.7526.7.930.BK + SOL M RING CHROME



01.7526.7.930.BK + SOL M RING DIAMOND BLACK

NEW

# SOL IN




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.9533.14.930.WH	1425	14	3000	>90	350	White
01.9533.14.930.BK	1425	14	3000	>90	350	Black
01.9533.14.940.WH	1425	14	4000	>90	350	White
01.9533.14.940.BK	1425	14	4000	>90	350	Black



MATERIAL | AL

» 318



### ACCESSORIES

	Replaceable ring. White color	SOL RING WHITE
	Replaceable ring. Black color	SOL RING BLACK
	Replaceable ring. Copper color	SOL RING COPPER
	Replaceable ring. Brass color	SOL RING BRASS
	Replaceable ring. Chrome color	SOL RING CHROME
	Replaceable ring. Diamond black color	SOL RING DIAMOND BLACK

NEW

	Lens 12°	06.A09LS12
--	----------	------------

» 313



01.9533.14.930.WH + SOL RING BRASS



01.9533.14.930.WH + SOL RING COPPER



01.9533.14.930.WH + SOL RING CHROME



01.9533.14.930.WH + SOL RING DIAMOND BLACK

NEW



01.9533.14.930.BK + SOL RING BRASS



01.9533.14.930.BK + SOL RING COPPER




01.9533.14.930.BK + SOL RING CHROME




01.9533.14.930.BK + SOL RING DIAMOND BLACK

NEW


# NANO COLLECTION



# NANO COLLECTION



## NANO TUB S TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3904.7.930.WH	491	4,5	3000	>90	500	White
01.3904.7.930.WHB	491	4,5	3000	>90	500	White/Black
01.3904.7.930.BK	491	4,5	3000	>90	500	Black
01.3904.7.930.BR	491	4,5	3000	>90	500	Brass
01.3904.7.930.CR	491	4,5	3000	>90	500	Chrome



MATERIAL | AL

» 318

## NANO TUB S TRIM



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3905.7.930.WH	491	4,5	3000	>90	500	White
01.3905.7.930.WHB	491	4,5	3000	>90	500	White/Black
01.3905.7.930.BK	491	4,5	3000	>90	500	Black
01.3905.7.930.BR	491	4,5	3000	>90	500	Brass
01.3905.7.930.CR	491	4,5	3000	>90	500	Chrome



MATERIAL | AL

» 318



01.3904.7.930.WH

01.3904.7.930.WHB

01.3904.7.930.BK

01.3904.7.930.BR

01.3904.7.930.CR



01.3905.7.930.WH

01.3905.7.930.WHB

01.3905.7.930.BK


01.3905.7.930.BR

01.3905.7.930.CR



Ceiling recessed

## NANO R TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3900.8.930.WH	640	8	3000	>90	700	White
01.3900.8.930.BK	640	8	3000	>90	700	Black
01.3900.8.930.BR	640	8	3000	>90	700	Brass
01.3900.8.930.CP	640	8	3000	>90	700	Copper
01.3900.8.940.WH	640	8	4000	>90	700	White
01.3900.8.940.BK	640	8	4000	>90	700	Black
01.3900.8.940.BR	640	8	4000	>90	700	Brass
01.3900.8.940.CP	640	8	4000	>90	700	Copper



MATERIAL | AL PC

[i](#) » 318

## NANO R



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3910.8.930.WH	640	8	3000	>90	700	White
01.3910.8.930.BK	640	8	3000	>90	700	Black
01.3910.8.940.WH	640	8	4000	>90	700	White
01.3910.8.940.BK	640	8	4000	>90	700	Black



MATERIAL | AL

[i](#) » 318



### ACCESSORIES


Shield Brass	01.A390.BR
Shield Copper	01.A390.CP
Shield Black	01.A390.BK
Shield White	01.A390.WH
Lens 12°	01.A39LS12
Lens 30°	01.A39LS30

[i](#) » 313

Ceiling recessed



# NANO S TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3901.8.930.WH	640	8	3000	>90	700	White
01.3901.8.930.BK	640	8	3000	>90	700	Black
01.3901.8.930.BR	640	8	3000	>90	700	Brass
01.3901.8.930.CP	640	8	3000	>90	700	Copper
01.3901.8.940.WH	640	8	4000	>90	700	White
01.3901.8.940.BK	640	8	4000	>90	700	Black
01.3901.8.940.BR	640	8	4000	>90	700	Brass
01.3901.8.940.CP	640	8	4000	>90	700	Copper



MATERIAL | AL PC

[i](#) » 318

# NANO S



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3911.8.930.WH	640	8	3000	>90	700	White
01.3911.8.930.BK	640	8	3000	>90	700	Black
01.3911.8.940.WH	640	8	4000	>90	700	White
01.3911.8.940.BK	640	8	4000	>90	700	Black



MATERIAL | AL

[i](#) » 318



## ACCESSORIES


Shield Brass	01.A391.BR
Shield Copper	01.A391.CP
Shield Black	01.A391.BK
Shield White	01.A391.WH
Lens 12°	01.A39LS12
Lens 30°	01.A39LS30

[i](#) » 313






## NANO R WW TRIMLESS



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3902.6.930.WH	503	6	3000	>90	500	White
01.3902.6.930.BK	503	6	3000	>90	500	Black




MATERIAL | AL PC

» 318

## NANO R WW




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3912.6.930.WH	503	6	3000	>90	500	White
01.3912.6.930.BK	503	6	3000	>90	500	Black




MATERIAL | AL

» 318

## NANO S WW TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3903.6.930.WH	503	6	3000	>90	500	White
01.3903.6.930.BK	503	6	3000	>90	500	Black




MATERIAL | AL PC

» 318

## NANO S WW



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3913.6.930.WH	503	6	3000	>90	500	White
01.3913.6.930.BK	503	6	3000	>90	500	Black



MATERIAL | AL

» 318

# SERIES VARIO

VARIO LINEA



VARIO COMFORT




VARIO WALL WASHER



Ceiling recessed

## VARIO LINEA 151 TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.1510.4.930.WH + VARIO FRAME2	585	4,2	3000	>90	350	White
01.1510.4.930.BK + VARIO FRAME2	585	4,2	3000	>90	350	Black
01.1510.4.940.WH + VARIO FRAME2	585	4,2	4000	>90	350	White
01.1510.4.940.BK + VARIO FRAME2	585	4,2	4000	>90	350	Black




MATERIAL | AL PC

i » 318



## VARIO LINEA 218 TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2180.6.930.WH + VARIO FRAME3	754	6,3	3000	>90	350	White
01.2180.6.930.BK + VARIO FRAME3	754	6,3	3000	>90	350	Black
01.2180.6.940.WH + VARIO FRAME3	754	6,3	4000	>90	350	White
01.2180.6.940.BK + VARIO FRAME3	754	6,3	4000	>90	350	Black





MATERIAL | AL PC

i » 318



## VARIO LINEA 151




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.1510.4.930.WH	585	4,2	3000	>90	350	White
01.1510.4.930.BK	585	4,2	3000	>90	350	Black
01.1510.4.940.WH	585	4,2	4000	>90	350	White
01.1510.4.940.BK	585	4,2	4000	>90	350	Black





MATERIAL | AL PC

» 318



## VARIO LINEA 218




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2180.6.930.WH	754	6,3	3000	>90	350	White
01.2180.6.930.BK	754	6,3	3000	>90	350	Black
01.2180.6.940.WH	754	6,3	4000	>90	350	White
01.2180.6.940.BK	754	6,3	4000	>90	350	Black



MATERIAL | AL PC


» 318




## VARIO COMFORT 85 TRIMLESS



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0851.4.930.BK + VARIO FRAME1	336	4,5	3000	>90	500	Black
01.0851.4.940.BK + VARIO FRAME1	336	4,5	4000	>90	500	Black




LED CE ENE III F IP20 INCL 83 x 32 70 36° MATERIAL | AL PC ⓘ » 318




## VARIO COMFORT 85




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0851.4.930.BK	336	4,5	3000	>90	500	Black
01.0851.4.940.BK	336	4,5	4000	>90	500	Black




LED CE ENE III F IP20 INCL 79 x 32 70 36° MATERIAL | AL PC ⓘ » 318




## VARIO COMFORT 151 TRIMLESS



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.1511.9.930.BK + VARIO FRAME2	672	9	3000	>90	500	Black
01.1511.9.940.BK + VARIO FRAME2	672	9	4000	>90	500	Black




LED CE ENE III F IP20 INCL 151 x 32 70 36° MATERIAL | AL PC ⓘ » 318




## VARIO COMFORT 151



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.1511.9.930.BK	672	9	3000	>90	500	Black
01.1511.9.940.BK	672	9	4000	>90	500	Black




LED CE ENE III F IP20 INCL 147 x 32 70 36° MATERIAL | AL PC ⓘ » 318




## VARIO COMFORT 218 TRIMLESS



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2181.14.930.BK + VARIO FRAME3	1005	14	3000	>90	500	Black
01.2181.14.940.BK + VARIO FRAME3	1040	14	4000	>90	500	Black




LED CE ENE III F IP20 INCL 223 x 32 70 36° MATERIAL | AL PC ⓘ » 318




## VARIO COMFORT 218




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2181.14.930.BK	1005	14	3000	>90	500	Black
01.2181.14.940.BK	1040	14	4000	>90	500	Black



LED CE ENE III F IP20 INCL 214 x 32 70 36° MATERIAL | AL PC ⓘ » 318



## VARIO WALL WASHER 218 TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2185.10.930.BK + VARIO FRAME3	720	10	3000	>90	350	Black
01.2185.10.940.BK + VARIO FRAME3	720	10	4000	>90	350	Black
01.2185.14.930.BK + VARIO FRAME3	1010	14	3000	>90	500	Black
01.2185.14.940.BK + VARIO FRAME3	1010	14	4000	>90	500	Black


LED CE ENEC IP20 INCL 223 x 32 70 48 x 25\*

MATERIAL | AL PC

i » 318



## VARIO WALL WASHER 218




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2185.10.930.BK	720	10	3000	>90	350	Black
01.2185.10.940.BK	720	10	4000	>90	350	Black
01.2185.14.930.BK	1010	14	3000	>90	500	Black
01.2185.14.940.BK	1010	14	4000	>90	500	Black


LED CE ENEC IP20 INCL 214 x 32 70 48 x 25\*

MATERIAL | AL PC

i » 318




## IN WALL RING



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
01.3853.R1.830.ST	20	1	3000	>80	24	Stainless steel

*i* DRIVER MUST BE PLACED ON REMOTE



MATERIAL | INOX PC


*i* » 318

## IN WALL O




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3805.EL.930.WH	364	3,3	3000	>90	700	White
01.3805.EL.930.BK	364	3,3	3000	>90	700	Black

*i* DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL

*i* » 318




01.3805.EL.930.WH

01.3805.EL.930.BK



## BUTTON RS




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.0150.8.930.CG	720	8	3000	>90	220	Champagne gold



MATERIAL | AL PC

[i](#) » 318

## BUTTON RM




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.0220.14.930.CG	960	14	3000	>90	220	Champagne gold



MATERIAL | AL PC

[i](#) » 318




Wall recessed


## BUTTON SM



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.0200.15.930.BK	720	14,4	3000	>90	220	Black



MATERIAL |  AL  PC




 » 318

Wall recessed





# STRAIGHT



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.7015.1.930.WH	1800	18	3000	>90	48	White
02.7015.1.930.BK	1800	18	3000	>90	48	Black


**(i)** DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL PC

**(i)** » 318

# STRAIGHT



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.7015.2.930.WH	3600	36	3000	>90	48	White
02.7015.2.930.BK	3600	36	3000	>90	48	Black

**(i)** DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL PC

**(i)** » 318



Wall surface



Wall surface


# ROD

ROD series surface mounted luminaires.  
You can create your own unique experiences  
by using different sizes of ROD series of lights.

# ROD



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1000.10.930.BK	630	10,5	3000	>90	220	Black




MATERIAL | AL PC

[i](#) » 318

# ROD



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1500.17.930.BK	1080	18	3000	>90	220	Black




MATERIAL | AL PC

[i](#) » 318

# ROD



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1990.23.930.BK	1500	25	3000	>90	220	Black




MATERIAL | AL PC

[i](#) » 318

# ROD




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.2483.30.930.BK	1800	30	3000	>90	220	Black




MATERIAL | AL PC

[i](#) » 318

# SLIMLINE



# SLIMLINE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1807.5.930.BR	400	5	3000	>90	48	Brass


*i* DRIVER MUST BE PLACED ON REMOTE



MATERIAL | BR PC

*i* » 318

# SLIMLINE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1810.8.930.BR	640	8	3000	>90	48	Brass


*i* DRIVER MUST BE PLACED ON REMOTE




MATERIAL | BR PC

*i* » 318

### ACCESSORIES




Surface mounted bracket, 2 pcs 10.A1804.BR



Surface mounted bracket, 2 pcs 10.A1816.BR



## SLIMLINE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1812.10.930.BR	800	10	3000	>90	48	Brass


DRIVER MUST BE PLACED ON REMOTE



MATERIAL | BR PC

» 318

## SLIMLINE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1818.15.930.BR	1200	15	3000	>90	48	Brass




DRIVER MUST BE PLACED ON REMOTE



MATERIAL | BR PC

» 318


### ACCESSORIES



# SFERA WALL S



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.0613.4.930.BK	243	4	3000	>90	220	Black
10.0613.4.930.BR	243	4	3000	>90	220	Brass



MATERIAL | AL GL

» 318



10.0613.4.930.BK




10.0613.4.930.BR



# SFERA WALL M



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.0634.5.930.BK	243 + 119	3,6 + 1,5	3000	>90	220	Black
10.0634.5.930.BR	243 + 119	3,6 + 1,5	3000	>90	220	Brass



MATERIAL | AL GL

» 318




10.0634.5.930.BK



10.0634.5.930.BR




TOUCH TO DIMM





# TUB M S 110



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0511.9.930.WH	540	9	3000	>90	250	White
02.0511.9.930.BK	540	9	3000	>90	250	Black
02.0511.9.930.BR	540	9	3000	>90	250	Brass
<b>NEW</b> 02.0511.9.930.DB	540	9	3000	>90	250	Diamond black
02.0511.9.940.WH	540	9	4000	>90	250	White
02.0511.9.940.BK	540	9	4000	>90	250	Black
02.0511.9.940.BR	540	9	4000	>90	250	Brass
<b>NEW</b> 02.0511.9.940.DB	540	9	4000	>90	250	Diamond black




MATERIAL | AL

[i](#) » 318

### ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

[i](#) » 313



02.0511.9.930.WH



02.0511.9.930.BK




02.0511.9.930.BR



02.0511.9.930.DB



# TUB M SA 90



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0591.9.930.WH	540	9	3000	>90	250	White
02.0591.9.930.BK	540	9	3000	>90	250	Black
02.0591.9.930.BR	540	9	3000	>90	250	Brass
<b>NEW</b> 02.0591.9.930.DB	540	9	3000	>90	250	Diamond black
02.0591.9.940.WH	540	9	4000	>90	250	White
02.0591.9.940.BK	540	9	4000	>90	250	Black
02.0591.9.940.BR	540	9	4000	>90	250	Brass
<b>NEW</b> 02.0591.9.940.DB	540	9	4000	>90	250	Diamond black



MATERIAL | AL

[i](#) » 318

### ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

[i](#) » 313



02.0591.9.930.WH



02.0591.9.930.BK




02.0591.9.930.BR



02.0591.9.930.DB



# TUB M SA NB



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.0595.9.930.WH	750	9	3000	>90	220	White
02.0595.9.930.BK	750	9	3000	>90	220	Black



MATERIAL | AL

» 318

### ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT


» 313




02.0595.9.930.WH + 06.A05SH.BR




02.0595.9.930.WH + 06.A05SH.CP




02.0595.9.930.BK + 06.A05SH.BR



02.0595.9.930.BK + 06.A05SH.CP



# TUB M SA 140



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0514.13.930.WH	758	13	3000	>90	350	White
02.0514.13.930.BK	758	13	3000	>90	350	Black
02.0514.13.940.WH	903	13	4000	>90	350	White
02.0514.13.940.BK	903	13	4000	>90	350	Black



MATERIAL | AL

[i](#) » 318

### ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30


[i](#) » 313




02.0514.13.930.WH + 06.A05SH.BR



02.0514.13.930.WH + 06.A05SH.CP




02.0514.13.930.BK + 06.A05SH.BR



02.0514.13.930.BK + 06.A05SH.CP

# TUB L S 150




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0711.18.930.WH	1287	18	3000	>90	500	White
02.0711.18.930.BK	1287	18	3000	>90	500	Black
02.0711.18.940.WH	1287	18	4000	>90	500	White
02.0711.18.940.BK	1287	18	4000	>90	500	Black



MATERIAL | AL

[i](#) » 318

# TUB L SA 150



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0715.13.940.WH	1023	13	4000	>90	350	White
02.0715.13.940.BK	1023	13	4000	>90	350	Black



MATERIAL | AL

[i](#) » 318

### ACCESSORIES

	Honeycomb	06.A07HC
--	-----------	----------

[i](#) » 313




02.0711.18.930.WH



02.0711.18.930.BK

Ceiling surface

# ROLL



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0800.10.930.WH	924	9	3000	>90	250	White
02.0800.10.930.BK	924	9	3000	>90	250	Black
02.0800.10.940.WH	989	9	4000	>90	250	White
02.0800.10.940.BK	989	9	4000	>90	250	Black



MATERIAL | AL

i » 318



02.0800.10.930.WH




02.0800.10.930.BK

Ceiling surface



# BLOCK




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
<b>02.8010.10.930.WH</b>	820	10	3000	>90	250	White
<b>02.8010.10.930.BK</b>	820	10	3000	>90	250	Black



MATERIAL | AL

» 318

# BLOCK 2



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
<b>02.8020.20.930.WH</b>	2 x 820	2 x 10	3000	>90	250	White
<b>02.8020.20.930.BK</b>	2 x 820	2 x 10	3000	>90	250	Black



MATERIAL | AL

» 318




02.8020.20.930.BK

02.8020.20.930.BK/WH

02.8020.20.930.WH/BK

# BOX




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
<b>02.8030.10.830.WH</b>	903	10	3000	>80	500	White
<b>02.8030.10.830.BK</b>	903	10	3000	>80	500	Black



MATERIAL | AL

» 318

# BOX 2



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
<b>02.8040.20.830.WH</b>	2 x 903	2 x 10	3000	>80	500	White
<b>02.8040.20.830.BK</b>	2 x 903	2 x 10	3000	>80	500	Black



MATERIAL | AL

» 318




02.8040.20.830.BK

02.8040.20.830.BK/WH

02.8040.20.830.WH/BK

## SOL SURF MINI



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.7526.7.930.WH	624	7	3000	>90	350	White
02.7526.7.930.BK	624	7	3000	>90	350	Black
02.7526.7.940.WH	624	7	4000	>90	350	White
02.7526.7.940.BK	624	7	4000	>90	350	Black



MATERIAL | AL


[i](#) » 318

### ACCESSORIES

	Replaceable ring. White color	SOL M RING WHITE
	Replaceable ring. Black color	SOL M RING BLACK
	Replaceable ring. Copper color	SOL M RING COPPER
	Replaceable ring. Brass color	SOL M RING BRASS
	Replaceable ring. Chrome color	SOL M RING CHROME
	Replaceable ring. Diamond black color	SOL M RING DIAMOND BLACK

[i](#) » 313

## SOL SURF



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.9533.14.930.WH	1446	14	3000	>90	350	White
02.9533.14.930.BK	1446	14	3000	>90	350	Black
02.9533.14.940.WH	1446	14	4000	>90	350	White
02.9533.14.940.BK	1446	14	4000	>90	350	Black



MATERIAL | AL

[i](#) » 318


### ACCESSORIES

	Replaceable ring. White color	SOL RING WHITE
	Replaceable ring. Black color	SOL RING BLACK
	Replaceable ring. Copper color	SOL RING COPPER
	Replaceable ring. Brass color	SOL RING BRASS
	Replaceable ring. Chrome color	SOL RING CHROME
	Replaceable ring. Diamond black color	SOL RING DIAMOND BLACK
	Lens 12°	06.A09LS12

[i](#) » 313



# TURBINE



Ø190


30

Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0190.15.930.WH	1800	15	3000	>90	500	White
02.0190.15.930.BK	1800	15	3000	>90	500	Black
02.0190.15.940.WH	1800	15	4000	>90	500	White
02.0190.15.940.BK	1800	15	4000	>90	500	Black



MATERIAL | AL

[i](#) » 318




02.0190.15.930.WH



02.0190.15.930.BK



## DISK S





Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.2600.25.930.WH	2625	25	3000	>90	700	White
02.2600.25.930.BK	2625	25	3000	>90	700	Black
02.2600.25.940.WH	2625	25	4000	>90	700	White
02.2600.25.940.BK	2625	25	4000	>90	700	Black



MATERIAL | AL PC

[i](#) » 318

## DISK M



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.3500.32.930.WH	3360	32	3000	>90	700	White
02.3500.32.930.BK	3360	32	3000	>90	700	Black
02.3500.32.940.WH	3360	32	4000	>90	700	White
02.3500.32.940.BK	3360	32	4000	>90	700	Black



MATERIAL | AL PC

[i](#) » 318




02.2600.25.930.BK



02.3500.32.930.BK



## BRIGHT S



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.2239.15.930/940.WH	945	15	3000/4000	>90	220	White
	630	10				
	560	8				



MATERIAL | AL PC

» 318

## BRIGHT M




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.3039.24.930/940.WH	1610	24	3000/4000	>90	220	White
	1260	18				
	700	10				



MATERIAL | AL PC

» 318

## FLAT S1




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.2121.15.930/940.WH	1210	15	3000/4000	>90	220	White
	770	10				



MATERIAL | PC PC

» 318

## FLAT S2




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.2626.24.930/940.WH	1960	24	3000/4000	>90	220	White
	1470	18				
	805	10				



MATERIAL | PC PC

» 318

## FLAT S3




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.4040.32.930/940.WH	2660	38	3000/4000	>90	220	White
	2030	29				



MATERIAL | PC PC

» 318

## FLAT R1




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
<b>02.2255.15.930/940.WH</b>	1190 770	15 10	3000/4000	>90	220	White



MATERIAL | PC PC

» 318

## FLAT R2




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
<b>02.2749.24.930/940.WH</b>	1960 1470 805	24 18 10	3000/4000	>90	220	White



MATERIAL | PC PC

» 318

## FLAT R3




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
<b>02.4065.32.930/940.WH</b>	2880 1960	32 24	3000/4000	>90	220	White



MATERIAL | PC PC

» 318

## FLAT R1 SMART



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
<b>02.2255.15.930/940.WH.S</b>	1120 770	15 10	3000/4000	>90	220	White




MATERIAL | PC PC

» 318

WITH MOTION DETECTOR

## FLAT R2 SMART



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
<b>02.2749.24.930/940.WH.S</b>	1960 1470 805	24 18 10	3000/4000	>90	220	White



MATERIAL | PC PC

» 318

WITH MOTION DETECTOR

Ceiling suspended

Ceiling suspended


# SUSPENDED TUB SERIES

The TUB suspended series is a collection of pendant lights, which allows the creation of different combination diameter and length in order to create a unique composition of pendant lights. The TUB has a cylindrical shape and is available in a variety of sizes and finishes to suit different design preferences.

# TUB XS P




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0160.2.930.WH	137	2,4	3000	>90	700	White
03.0160.2.930.BK	137	2,4	3000	>90	700	Black
03.0160.2.930.BR	137	2,4	3000	>90	700	Brass



MATERIAL | AL

» 318

# TUB XS P NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0161.2.930.WH	137	2,4	3000	>90	700	White
03.0161.2.930.BK	137	2,4	3000	>90	700	Black
03.0161.2.930.BR	137	2,4	3000	>90	700	Brass




MATERIAL | AL

» 318

# TUB XS P NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0162.2.930.WH	137	2,4	3000	>90	700	White
03.0162.2.930.BK	137	2,4	3000	>90	700	Black
03.0162.2.930.BR	137	2,4	3000	>90	700	Brass



MATERIAL | AL

» 318




Surface base

White

Black

Brass



Trimless base

Frame base

White


Black

Brass

# MATCH S P 450



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0340.7.930.BR	415	7	3000	>90	700	Brass
03.0340.7.940.BR	415	7	4000	>90	700	Brass




MATERIAL | BR PC

» 318

# MATCH S P 450 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0341.7.930.BR	415	7	3000	>90	700	Brass
03.0341.7.940.BR	415	7	4000	>90	700	Brass




MATERIAL | BR PC

» 318

# MATCH S P 450 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0342.7.930.BR	415	7	3000	>90	700	Brass
03.0342.7.940.BR	415	7	4000	>90	700	Brass




MATERIAL | BR PC

» 318

# MATCH S P 550



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0350.7.930.BR	415	7	3000	>90	700	Brass
03.0350.7.940.BR	415	7	4000	>90	700	Brass




MATERIAL | BR PC

» 318

# MATCH S P 550 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0351.7.930.BR	415	7	3000	>90	700	Brass
03.0351.7.940.BR	415	7	4000	>90	700	Brass



MATERIAL | BR PC

» 318

# MATCH S P 550 NANO




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0352.7.930.BR	415	7	3000	>90	700	Brass
03.0352.7.940.BR	415	7	4000	>90	700	Brass




MATERIAL | BR PC

» 318

# TUB S P 200



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0320.8.930.WH	558	8	3000	>90	700	White
03.0320.8.930.BK	558	8	3000	>90	700	Black
03.0320.8.930.BR	558	8	3000	>90	700	Brass
<b>NEW</b> 03.0320.8.930.DB	558	8	3000	>90	700	Diamond black




MATERIAL | AL

i » 318

### ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313




Surface base


Trimless base

Frame base

# TUB S P 200 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0321.8.930.WH	558	8	3000	>90	700	White
03.0321.8.930.BK	558	8	3000	>90	700	Black
03.0321.8.930.BR	558	8	3000	>90	700	Brass
<b>NEW</b> 03.0321.8.930.DB	558	8	3000	>90	700	Diamond black



MATERIAL | AL

i » 318

### ACCESSORIES


	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313

# TUB S P 200 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0322.8.930.WH	558	8	3000	>90	700	White
03.0322.8.930.BK	558	8	3000	>90	700	Black
03.0322.8.930.BR	558	8	3000	>90	700	Brass
<b>NEW</b> 03.0322.8.930.DB	558	8	3000	>90	700	Diamond black




MATERIAL | AL

i » 318

### ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313



White



Black

Brass

Diamond black



# TUB S P 300



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0330.8.930.WH	389	8	3000	>90	700	White
03.0330.8.930.BK	389	8	3000	>90	700	Black
<b>NEW</b> 03.0330.8.930.BR	389	8	3000	>90	700	Brass
03.0330.8.940.WH	474	8	4000	>90	700	White
03.0330.8.940.BK	474	8	4000	>90	700	Black
<b>NEW</b> 03.0330.8.940.BR	474	8	4000	>90	700	Brass




MATERIAL | AL

i » 318

### ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313





Surface base

White

Black

Brass

# TUB S P 300 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0331.8.930.WH	389	8	3000	>90	700	White
03.0331.8.930.BK	389	8	3000	>90	700	Black
<b>NEW</b> 03.0331.8.930.BR	389	8	3000	>90	700	Brass
03.0331.8.940.WH	474	8	4000	>90	700	White
03.0331.8.940.BK	474	8	4000	>90	700	Black
<b>NEW</b> 03.0331.8.940.BR	474	8	4000	>90	700	Brass



MATERIAL | AL


i » 318

### ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313

# TUB S P 300 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0332.8.930.WH	389	8	3000	>90	700	White
03.0332.8.930.BK	389	8	3000	>90	700	Black
<b>NEW</b> 03.0332.8.930.BR	389	8	3000	>90	700	Brass
03.0332.8.940.WH	474	8	4000	>90	700	White
03.0332.8.940.BK	474	8	4000	>90	700	Black
<b>NEW</b> 03.0332.8.940.BR	474	8	4000	>90	700	Brass




MATERIAL | AL

i » 318

### ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313



Trimless base

Frame base

White


Black

Brass

# TUB S P 600



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0360.8.930.WH	657	8	3000	>90	700	White
03.0360.8.930.BK	657	8	3000	>90	700	Black
03.0360.8.930.BR	657	8	3000	>90	700	Brass



MATERIAL | AL

i » 318

### ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313



Surface base

White


Black

Brass

# TUB S P 600 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0361.8.930.WH	657	8	3000	>90	700	White
03.0361.8.930.BK	657	8	3000	>90	700	Black
03.0361.8.930.BR	657	8	3000	>90	700	Brass



MATERIAL | AL

i » 318

### ACCESSORIES


	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313

# TUB S P 600 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0362.8.930.WH	657	8	3000	>90	700	White
03.0362.8.930.BK	657	8	3000	>90	700	Black
03.0362.8.930.BR	657	8	3000	>90	700	Brass




MATERIAL | AL

i » 318

### ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313



Trimless base

Frame base

White


Black

Brass

# TUB S P 300 ZOOM



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0309.6.930.WH	228 - 307	5,4	3000	>90	700	White
03.0309.6.930.BK	228 - 307	5,4	3000	>90	700	Black
03.0309.6.940.WH	240 - 322	5,4	4000	>90	700	White
03.0309.6.940.BK	240 - 322	5,4	4000	>90	700	Black




MATERIAL | AL

» 318

# TUB S P 300 ZOOM NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0319.6.930.WH	228 - 307	5,4	3000	>90	700	White
03.0319.6.930.BK	228 - 307	5,4	3000	>90	700	Black
03.0319.6.940.WH	240 - 322	5,4	4000	>90	700	White
03.0319.6.940.BK	240 - 322	5,4	4000	>90	700	Black




MATERIAL | AL

» 318

# TUB S P 300 ZOOM NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0329.6.930.WH	228 - 307	5,4	3000	>90	700	White
03.0329.6.930.BK	228 - 307	5,4	3000	>90	700	Black
03.0329.6.940.WH	240 - 322	5,4	4000	>90	700	White
03.0329.6.940.BK	240 - 322	5,4	4000	>90	700	Black



MATERIAL | AL

» 318



Surface base

White

Black




Trimless base

Frame base

White

Black

# TUB M P 200



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0521.19.930.WH	1210	10,8	3000	>90	500	White
03.0521.19.930.BK	1210	10,8	3000	>90	500	Black
03.0521.19.940.WH	1320	10,8	4000	>90	500	White
03.0521.19.940.BK	1320	10,8	4000	>90	500	Black




MATERIAL | AL

» 318


## ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

» 313




03.0521.19.930.WH



03.0521.19.930.BK



# TUB M P 200 DTW



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0521.12.DTW.WH	1150	12	DIM to warm 1800-3000	>95	350	White
03.0521.12.DTW.BK	1150	12	DIM to warm 1800-3000	>95	350	Black

**i** NECESSARY USE PHASE CUT DIMMER



MATERIAL | **AL**

**i** » 318


### ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30


**i** » 313




03.0521.12.DTW.WH + 06.A05SHL.BR



03.0521.12.DTW.WH + 06.A05SHL.CP



03.0521.12.DTW.BK + 06.A05SHL.BR



03.0521.12.DTW.BK + 06.A05SHL.CP

3000K  
100%



2700K  
50%





1800K  
5%



Dim to warm it is a new technology for regulation of light intensity and color temperature synchronously. Necessary use phase cut dimmer.

# TUB M P 200 ZOOM




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0529.13.930.WH	615 - 1040	13	3000	>90	700	White
03.0529.13.930.BK	615 - 1040	13	3000	>90	700	Black
03.0529.13.940.WH	615 - 1040	13	4000	>90	700	White
03.0529.13.940.BK	615 - 1040	13	4000	>90	700	Black



MATERIAL | AL

[i](#) » 318



Surface base


03.0529.13.930.WH

03.0529.13.930.BK

# BALL M P




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
<b>03.1000.7.930.WH</b>	590	7	3000	>90	700	White
<b>03.1000.7.930.BK</b>	590	7	3000	>90	700	Black




MATERIAL | AL GL

» 318

# BALL M P NANO




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
<b>03.1001.7.930.WH</b>	590	7	3000	>90	700	White
<b>03.1001.7.930.BK</b>	590	7	3000	>90	700	Black




MATERIAL | AL GL

» 318

# BALL M P NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
<b>03.1002.7.930.WH</b>	590	7	3000	>90	700	White
<b>03.1002.7.930.BK</b>	590	7	3000	>90	700	Black



MATERIAL | AL GL

» 318



Surface base

White

Black




Trimless base

Frame base

White


Black

# BALL L




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.1800.28.930.WH	2028	28	3000	>90	220	White
02.1800.28.930.BK	2028	28	3000	>90	220	Black

MATERIAL | i » 318




# BALL L DTW



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.1800.28.DTW.BK	2028	28	DIM to warm 1800-3000	>90	220	Black

MATERIAL | i » 318



02.1800.28.930.WH



02.1800.28.930.BK






# SLIMLINE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1870.5.930.BR	400	5	3000	>90	48	Brass

*i* DRIVER MUST BE PLACED ON REMOTE



MATERIAL | **BR** **PC**


*i* » 318

# SLIMLINE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1811.8.930.BR	640	8	3000	>90	48	Brass

*i* DRIVER MUST BE PLACED ON REMOTE



MATERIAL | **BR** **PC**

*i* » 318




Rotation luminary body



# POINTER SUSP BASE



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
10.1301.6.930.BK/CG	4x137	4x5,4	3000	>90	700	Black/ Champagne gold



MATERIAL | AL

[i](#) » 318

# POINTER SUSP



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
10.1300.6.930.BK/CG	4x137	4x5,4	3000	>90	700	Black/ Champagne gold

[i](#) DRIVER MUST BE PLACED ON REMOTE


### ACCESSORIES

	Trimless white	01.A39TRLS.P.WH
	Trimless black	01.A39TRLS.P.BK
	Frame white	01.A39FRM.P.WH
	Frame black	01.A39FRM.P.BK




MATERIAL | AL

[i](#) » 318



10.1301.6.930.BK/CG



01.A39TRLS.P.WH



01.A39FRM.S.P.WH




# OFFICE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
<b>03.1610.12.930.BK</b>	415	12	3000	>90	48	Black
<b>03.1610.12.940.BK</b>	415	12	4000	>90	48	Black


**i** DRIVER MUST BE PLACED ON REMOTE



MATERIAL | **AL** **PC**


**i** » 318

# OFFICE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
<b>03.1620.24.930.BK</b>	972	24	3000	>90	48	Black
<b>03.1620.24.940.BK</b>	972	24	4000	>90	48	Black


**i** DRIVER MUST BE PLACED ON REMOTE



MATERIAL | **AL** **PC**

**i** » 318

# PROFILE




Code	Product Lumen	Power Watt	Color T (K)	L mm	CRI	Color
05.3527.20.830/840.WH/BK	1660	20	3000 / 4000	850	>80	White / Black
05.3527.26.830/840.WH/BK	2160	26	3000 / 4000	1130	>80	White / Black
05.3527.33.830/840.WH/BK	2700	33	3000 / 4000	1410	>80	White / Black
05.3527.39.830/840.WH/BK	3240	39	3000 / 4000	1690	>80	White / Black
05.3527.52.830/840.WH/BK	4320	52	3000 / 4000	2250	>80	White / Black




MATERIAL | AL PC

[i](#) » 318




Microprisma trasparente




05.3527.20.830.WH




05.3527.20.830.BK



# POINTER FLOOR




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
10.1800.6.930.BK/CG	137	6	3000	>90	180	Black/ Champagne gold






MATERIAL | AL


i » 318



# MINI\_LINE 42 TRACK



## MINI\_LINE 42 TRACK S




	Code	Dimensions (mm): LxWxH	Color
Surface track	07.S300.WH	3000 x 19 x 13,5	White
(End caps 2pcs included)	07.S300.BK	3000 x 19 x 13,5	Black

CE ENEC IP20 42V EXCL

MATERIAL | AL

» 318

## MINI\_LINE 42 TRACK S




	Code	Dimensions (mm): LxWxH	Color
Surface track	07.S200.LG	2000 x 19 x 13,5	Like gold
(End caps 2pcs included)	07.S200.LB	2000 x 19 x 13,5	Like brass

CE ENEC IP20 42V EXCL

MATERIAL | AL

» 318

## MINI\_LINE 42 CORNER S HR





	Code	Color
Surface «L» track connector	07.S90HR.WH	White
	07.S90HR.BK	Black
	07.S90HR.LG	Like gold
	07.S90HR.LB	Like brass

CE ENEC IP20 42V

MATERIAL | AL

» 318

## MINI\_LINE 42 CORNER S IN




	Code	Color
Surface «L» connector Ceiling to Wall in-installation	07.S90IN.WH	White
	07.S90IN.BK	Black

CE ENEC IP20 42V

MATERIAL | AL

» 318

## MINI\_LINE 42 CORNER S OUT



	Code	Color
Surface «L» track connector Wall to Wall out-installation	07.S90OUT.WH	White
	07.S90OUT.BK	Black

CE ENEC IP20 42V

MATERIAL | AL

» 318

## MINI\_LINE 42 MEC JOINT




	Code	Color
Mechanical linear connector for track	07.R/SLNCON.WH	White
	07.R/SLNCON.BK	Black

CE ENEC IP20

MATERIAL | AL

» 318

## MINI\_LINE 42 END CAP S




	Code	Color
End cap for surface track 2 pcs/set	07.R/SECAP.WH	White
	07.R/SECAP.BK	Black
	07.SECAP.LG	Like gold
	07.SECAP.LB	Like brass

CE ENEC IP20

MATERIAL | PC

» 318

## MINI\_LINE 42 COVER R/S




	Code	Dimensions (mm): LxWxH	Color
Track cover for surface	07.R/SCOV100.WH	1000 x 15,4 x 8	White
	07.R/SCOV100.BK	1000 x 15,4 x 8	Black

CE ENEC IP20

MATERIAL | PC

» 318

## MINI\_LINE 42 ELECTRICAL JOINT FLEX



Electrical joint flex  
connector for tack


Code	Color
07.S2LE.WH	White
07.S2LE.BK	Black

CE ENEC IP20 42V

MATERIAL | AL

» 318

## MINI\_LINE 42 LIVE END 500



Feed cable, L 300mm


Code	Color
07.SLE50.WH	White
07.SLE50.BK	Black

CE ENEC IP20 42V


MATERIAL | AL

» 318

## INSTALLATION SURFACE TRACK SYSTEM MINI\_LINE 42




! Every 10 meters of track must be connected to a separate power supply adapter. Maximum permissible current for one electrical circuit - 5.7A (240W)






### MINI\_LINE 42 LINEA 300



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.3000.6.930.WH	395	6	3000	>90	White
07.3000.6.930.BK	395	6	3000	>90	Black
07.3000.6.940.WH	395	6	4000	>90	White
07.3000.6.940.BK	395	6	4000	>90	Black




MATERIAL | AL PC

[i](#) » 318

### MINI\_LINE 42 LINEA 900




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.9000.18.930.WH	1185	18	3000	>90	White
07.9000.18.930.BK	1185	18	3000	>90	Black




MATERIAL | AL PC

[i](#) » 318

### MINI\_LINE 42 LINEA 600



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.6000.12.930.WH	790	12	3000	>90	White
07.6000.12.930.BK	790	12	3000	>90	Black




MATERIAL | AL PC

[i](#) » 318

### MINI\_LINE 42 LINEA 1200



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.1200.24.930.WH	1580	24	3000	>90	White
07.1200.24.930.BK	1580	24	3000	>90	Black



MATERIAL | AL PC


[i](#) » 318




07.3000.6.930.WH

07.3000.6.930.BK

## MINI\_LINE 42 COMFORT 300




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.3001.4.930.WH	390	4	3000	>90	White
07.3001.4.930.BK	390	4	3000	>90	Black
07.3001.4.940.WH	390	4	4000	>90	White
07.3001.4.940.BK	390	4	4000	>90	Black




MATERIAL | AL PC

i » 318

## MINI\_LINE 42 COMFORT 600



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.6001.8.930.WH	780	8	3000	>90	White
07.6001.8.930. BK	780	8	3000	>90	Black



MATERIAL | AL PC

i » 318




07.3001.4.930.WH


07.3001.4.930.BK



## MINI\_LINE 42 TUB XS A




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.2848.4.930.WH	426	3,5	3000	>90	White
07.2848.4.930.BK	426	3,5	3000	>90	Black




MATERIAL | AL PC

i » 318

## MINI\_LINE 42 TUB XS A X2



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.2848.7.930.WH	2 x 426	2 x 3,5	3000	>90	White
07.2848.7.930.BK	2 x 426	2 x 3,5	3000	>90	Black




MATERIAL | AL PC

i » 318



07.2848.7.930.WH




07.2848.7.930.BK

## MINI\_LINE 42 TUB S A




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.3270.5.930.WH	642	5	3000	>90	White
07.3270.5.930.BK	642	5	3000	>90	Black
07.3270.5.930.BR	642	5	3000	>90	Brass
07.3270.5.930.CR	642	5	3000	>90	Chrome
07.3270.5.940.WH	642	5	4000	>90	White
07.3270.5.940.BK	642	5	4000	>90	Black




MATERIAL | AL PC

i » 318

## MINI\_LINE 42 TUB S A X2



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.3270.10.930.WH	2 x 642	2 x 5	3000	>90	White
07.3270.10.930.BK	2 x 642	2 x 5	3000	>90	Black
07.3270.10.940.WH	2 x 642	2 x 5	4000	>90	White
07.3270.10.940.BK	2 x 642	2 x 5	4000	>90	Black



MATERIAL | AL PC

i » 318



07.3270.5.930.WH



07.3270.5.930.BK



07.3270.5.930.BR




07.3270.5.930.CR



# IN\_LINE



## IN\_LINE TRACK T




CE ENEC IP20 48V EXCL

MATERIAL | AL

» 318

	Code	Dimensions (mm): LxWxH	Color
Recessed track	06.T200.BK	2000 x 40 x 54	Black
with trim	06.T300.BK	3000 x 40 x 54	Black

## IN\_LINE CORNER T HR




CE ENEC IP20 48V

MATERIAL | AL

» 318

	Code	Color
Recessed «L» track connector with trim (2 pcs 06.TLNCON included)	06.T90HR.BK	Black

## IN\_LINE END CAP T



CE ENEC IP20



MATERIAL | AL

» 318

	Code	Color
End cap for recessed track T 2 pcs/set	06.TECAP.BK	Black



## IN\_LINE TRACK R





CE ENEC IP20 48V EXCL

MATERIAL | AL

	Code	Dimensions (mm): LxWxH	Color
Recessed track	06.R200.WH	2000 x 76 x 54	White
	06.R200.BK	2000 x 76 x 54	Black
	06.R300.WH	3000 x 76 x 54	White
	06.R300.BK	3000 x 76 x 54	Black

(i) » 318

## IN\_LINE CORNER R HR





CE ENEC IP20 48V

MATERIAL | AL

	Code	Color
Recessed «L» track connector (8 pcs 06.R/SLNCON included)	06.R90HR.WH	White
	06.R90HR.BK	Black

(i) » 318

## IN\_LINE CORNER R IN





CE ENEC IP20 48V

MATERIAL | AL

	Code	Color
Recessed «L» connector Ceiling to Wall, in-installation (8 pcs 06.R/SLNCON included)	06.R90IN.WH	White
	06.R90IN.BK	Black

(i) » 318

## IN\_LINE CORNER R OUT



CE ENEC IP20 48V


MATERIAL | AL

	Code	Color
Recessed «L» track connector Wall to Wall out-installation (8 pcs 06.R/SLNCON included)	06.R90OUT.WH	White
	06.R90OUT.BK	Black

(i) » 318



## IN\_LINE TRACK S



	Code	Dimensions (mm): LxWxH	Color
Surface / Suspension track	06.S200.WH	2000 x 30 x 54	White
	06.S200.BK	2000 x 30 x 54	Black
	06.S200.LG	2000 x 30 x 54	Like gold
	06.S200.LB	2000 x 30 x 54	Like brass
	06.S300.WH	3000 x 30 x 54	White
	06.S300.BK	3000 x 30 x 54	Black





CE ENEC EXCL

MATERIAL | AL

» 318

## IN\_LINE CORNER S HR



	Code	Color
Surface/suspension «L» track connector (2 pcs 06.R/SLNCON included)	06.S90HR.WH	White
	06.S90HR.BK	Black
	06.S90HR.LG	Like gold
	06.S90HR.LB	Like brass



CE ENEC



MATERIAL | AL

» 318





## IN\_LINE CORNER S IN





	Code	Color
Surface «L» track connector Ceiling to Wall in – installation	06.S90IN.WH	White
(2 pcs 06.R/SLNCON included)	06.S90IN.BK	Black

CE ENEC IP20 48V

MATERIAL | AL

(i) » 318

## IN\_LINE CORNER S OUT




	Code	Color
Surface «L» track connector – Wall to Wall out – installation	06.S90OUT.WH	White
(2 pcs 06.R/SLNCON included)	06.S90OUT.BK	Black

CE ENEC IP20 48V

MATERIAL | AL

(i) » 318

## IN\_LINE END CAP R/S



	Code	Color
End cap for Recessed & Surface 2 pcs/set	06.R/SECAP.WH	White
	06.R/SECAP.BK	Black
	06.R/SECAP.LG	Like gold
	06.R/SECAP.LB	Like brass


CE ENEC IP20

MATERIAL | PC

(i) » 318



## IN\_LINE CORNER 90



CE ENEC IP20 48V


MATERIAL | AL

Code Color

Surface «90» track electrical connector	06.SE90HR.WH	White
	06.SE90HR.BK	Black

(i) » 318

## IN\_LINE CORNER T RIGHT



CE ENEC IP20 48V


MATERIAL | AL

Code Color

Surface T right track electrical connector	06.SETRHR.WH	White
	06.SETRHR.BK	Black

(i) » 318

## IN\_LINE CORNER T LEFT



CE ENEC IP20 48V


MATERIAL | AL

Code Color

Surface T left track electrical connector	06.SETLHR.WH	White
	06.SETLHR.BK	Black

(i) » 318

## IN\_LINE CORNER X



CE ENEC IP20 48V


MATERIAL | AL

Code Color



Surface «X» track electrical connector	06.SEQHR.WH	White
	06.SEQHR.BK	Black

(i) » 318

## INSTALLATION SURFACE TRACK SYSTEM IN\_LINE TRACK S



## IN\_LINE CORNER 180



CE ENEC IP20 48V


MATERIAL | AL

Code Color

Surface «180» track electrical connector	06.SE180HR.WH	White
	06.SE180HR.BK	Black

[i](#) » 318

## IN\_LINE CORNER 120



CE ENEC IP20 48V


MATERIAL | AL

Code Color


Surface «120» track electrical connector	06.SE120HR.WH	White
	06.SE120HR.BK	Black

[i](#) » 318

## INSTALLATION SURFACE TRACK SYSTEM IN\_LINE TRACK S



## IN\_LINE SHORT TRACK S





	Code	Dimensions (mm): LxWxH	Color
Surface / Suspension track (End caps 2pcs included)	06.SS300.WH	3000 x 30 x 37	White
	06.SS300.BK	3000 x 30 x 37	Black

CE ENEC IP20 48V EXCL

MATERIAL | AL

» 318

## IN\_LINE SHORT CORNER S HR



	Code	Color
Surface/suspension «L» track connector (2 pcs 06.R/SLNCON included)	06.SS90HR.WH	White
	06.SS90HR.BK	Black

CE ENEC IP20 48V

MATERIAL | AL

» 318

## IN\_LINE SHORT END CAP



	Code	Color
End cap for surface 2 pcs/set	06.SSCAP.WH	White
	06.SSCAP.BK	Black


CE ENEC IP20

MATERIAL | PC

» 318



## IN\_LINE LIVE END





CE ENE ↓ F IP20 48V

MATERIAL | PC

	Code	Dimensions (mm): LxWxH	Color
Feed cable	06.SLE60.WH	600	White
	06.SLE60.BK	600	Black

» 318

## IN\_LINE LIVE END




CE ENE ↓ F IP20 48V

MATERIAL | PC

	Code	Dimensions (mm): LxWxH	Color
Feed cable	06.SLE150.WH	1500	White
	06.SLE150.BK	1500	Black

» 318

## IN\_LINE ELECTRICAL JOINT




CE ENE ↓ F IP20 48V

MATERIAL | PC

	Code	Color
Electrical joint live end for track, without cable	06.SLE00.WH	White
	06.SLE00.BK	Black

» 318

## IN\_LINE ELECTRICAL JOINT FLEX




CE ENE ↓ F IP20 48V

MATERIAL | PC

	Code	Color
Electrical joint flex connector for track	06.S2LE60.WH	White
	06.S2LE60.BK	Black

» 318

## IN\_LINE MEC JOINT





CE ENE ↓ F IP20

MATERIAL | INOX

	Code	Color
Mechanical linear connector for track	06.R/SLNCON	Black

» 318

## IN\_LINE COVER R/S



	Code	Dimensions (mm): LxWxH	Color
Track cover for Recessed & Surface	06.R/SCOV200.WH	2000 x 26 x 5	White
	06.R/SCOV200.BK		Black
	06.R/SCOV300.WH	3000 x 26 x 5	White
	06.R/SCOV300.BK		Black




CE ENE ↓ F IP20

MATERIAL | PC

» 318

## IN\_LINE SUSP KIT




	Code	Dimensions (mm): LxWxH	Color
Suspension	06.SS150.WH	1500 x 26 x 5	White
	06.SS150.BK		Black
	06.SS150.ZZ		Steel

CE ENE ↓ F IP20

MATERIAL | INOX

» 318

## IN\_LINE POWER UNIT 100




CE ENEC IP20 SELV 48V NODIM

MATERIAL | AL

» 318

	Code	Power Watt	Color
Power supply	06.PSU.100.WH	100	White
	06.PSU.100.BK	100	Black

## IN\_LINE POWER UNIT 200




CE ENEC IP20 SELV 48V NODIM

MATERIAL | AL

» 318

	Code	Power Watt	Color
Power supply	06.PSU.200.WH	200	White
	06.PSU.200.BK	200	Black

## POWER SUPPLY




CE IP20 48V NODIM

MATERIAL | PC

» 318

	Code	Dimensions (mm): LxWxH	Power Watt	Color
	06.PSU.100.W/O	298 x 30 x 16,5	100	Grey
	06.PSU.250.W/O	384 x 30 x 22	250	Grey

## POWER SUPPLY DIMMING DALI




CE IP20 48V DALI

MATERIAL | STEEL

» 318

	Dimensions (mm): LxWxH	Power Watt	Color
28001233	235 x 100 x 31	75	White
28001044	235 x 100 x 31	150	White

## POWER SUPPLY DIMMING DALI




CE IP20 48V DALI

MATERIAL | PC


» 318

	Dimensions (mm): LxWxH	Power Watt	Color
28000815	360 x 40 x 21	75	White / Grey
28001235	360 x 40 x 21	150	White / Grey


# INSTALLATION RECESSED TRACK SYSTEM IN\_LINE TRACK T



# INSTALLATION RECESSED TRACK SYSTEM IN\_LINE TRACK R




# INSTALLATION SURFACE TRACK SYSTEM IN\_LINE TRACK S






ⓘ Every 10 meters of track must be connected to a separate power supply adapter. Maximum permissible current for one electrical circuit - 8.5A (400W)

# INSTALLATION SUSPENDED TRACK SYSTEM IN\_LINE



ⓘ Every 10 meters of track must be connected to a separate power supply adapter. Maximum permissible current for one electrical circuit - 8.5A (400W)

# INSTALLATION SURFACE TRACK SYSTEM IN\_LINE SHORT TRACK S





ⓘ Every 10 meters of track must be connected to a separate power supply adapter. Maximum permissible current for one electrical circuit - 8.5A (400W)





## IN\_LINE LINEA 205





Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2050.6.930.WH	406	6	3000	>90	White
06.2050.6.930.BK	406	6	3000	>90	Black
06.2050.6.940.WH	435	6	4000	>90	White
06.2050.6.940.BK	435	6	4000	>90	Black



MATERIAL | AL PC

(i) » 318

## IN\_LINE LINEA 407





Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.4070.11.930.WH	782	11	3000	>90	White
06.4070.11.930.BK	782	11	3000	>90	Black
06.4070.11.940.WH	810	11	4000	>90	White
06.4070.11.940.BK	810	11	4000	>90	Black



MATERIAL | AL PC

(i) » 318

## IN\_LINE LINEA 800



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.8000.18.930.WH	1450	18	3000	>90	White
06.8000.18.930.BK	1450	18	3000	>90	Black
06.8000.18.940.WH	1495	18	4000	>90	White
06.8000.18.940.BK	1495	18	4000	>90	Black




MATERIAL | AL PC


(i) » 318



## IN\_LINE COMFORT 69



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0691.4.930.BK	273	4	3000	>90	Black
06.0691.4.940.BK	330	4	4000	>90	Black




MATERIAL | AL PC

» 318

## IN\_LINE COMFORT 137



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1371.8.930.BK	557	8	3000	>90	Black
06.1371.8.940.BK	684	8	4000	>90	Black




MATERIAL | AL PC

» 318

## IN\_LINE COMFORT 205



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2051.12.930.WH	850	12	3000	>90	White
06.2051.12.930.BK	850	12	3000	>90	Black
06.2051.12.940.WH	850	12	4000	>90	White
06.2051.12.940.BK	850	12	4000	>90	Black




MATERIAL | AL PC

» 318

## IN\_LINE COMFORT 407



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.4071.20.930.WH	1700	20	3000	>90	White
06.4071.20.930.BK	1700	20	3000	>90	Black
06.4071.20.940.WH	1700	20	4000	>90	White
06.4071.20.940.BK	1700	20	4000	>90	Black




MATERIAL | AL PC

» 318

## IN\_LINE WALL WASHER 205



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2055.10.930.BK	990	10	3000	>90	Black
06.2055.10.940.BK	1025	10	4000	>90	Black




MATERIAL | AL PC


» 318



## IN\_LINE TUB XS A22 X2




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2221.4.930.WH	2 x 90	2 x 2	3000	>90	White
06.2221.4.930.BK	2 x 90	2 x 2	3000	>90	Black
06.2221.4.930.BR	2 x 77	2 x 2	3000	>90	Brass
06.2221.4.930.CR	2 x 77	2 x 2	3000	>90	Chrome




MATERIAL | AL PC


» 318



06.2221.4.930.WH



06.2221.4.930.BK




06.2221.4.930.BR




06.2221.4.930.CR



## IN\_LINE COMFORT B 205




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2052.12.930.BK	850	12	3000	>90	Black
06.2052.12.940.BK	850	12	4000	>90	Black




MATERIAL | AL PC

i » 318

## IN\_LINE LINEA B 205



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2053.6.930.WH	410	6	3000	>90	White
06.2053.6.930.BK	410	6	3000	>90	Black
06.2053.6.940.WH	424	6	4000	>90	White
06.2053.6.940.BK	424	6	4000	>90	Black



MATERIAL | AL PC


i » 318



# IN\_LINE LED INDIRECT



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.SUPPCB.930	1450	12	3000	>90	White
06.SUPPCB.940	1450	12	4000	>90	White




LED CE ENEC IP20 48V EXCL 110° -LEDs/cut 15/175mm

MATERIAL | AL PC

» 318




Code	Dimensions (mm): LxWxH	Color
06.SUPCOV	1000 x 24 x 5,3	Transparent




LED CE IP20

MATERIAL | PC


» 318



## IN\_LINE TUB XS A 48




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0248.02.930.WH	112	2,1	3000	>90	White
06.0248.02.930.BK	112	2,1	3000	>90	Black



MATERIAL | AL PC

» 318





06.0248.02.930.WH



06.0248.02.930.BK



# IN\_LINE TUB S A 60



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0361.8.930.WH	570	5,4	3000	>90	White
06.0361.8.930.BK	570	5,4	3000	>90	Black
06.0361.8.930.WHW	570	5,4	3000	>90	White/White
06.0361.8.930.BR	570	5,4	3000	>90	Brass
06.0361.8.930.CR	570	5,4	3000	>90	Chrome
<b>NEW</b> 06.0361.8.930.DB	570	5,4	3000	>90	Diamond black
<b>NEW</b> 06.0361.8.930.SB	570	5,4	3000	>90	Sahara beige
06.0361.8.940.WH	620	5,4	4000	>90	White
06.0361.8.940.BK	620	5,4	4000	>90	Black
06.0361.8.940.WHW	620	5,4	4000	>90	White/White
06.0361.8.940.BR	620	5,4	4000	>90	Brass
06.0361.8.940.CR	620	5,4	4000	>90	Chrome
<b>NEW</b> 06.0361.8.940.DB	620	5,4	4000	>90	Diamond black
<b>NEW</b> 06.0361.8.940.SB	620	5,4	4000	>90	Sahara beige



MATERIAL | AL PC

[i](#) » 318

### ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313



06.0361.8.930.BR



06.0361.8.930.CR





06.0361.8.930.DB



06.0361.8.930.SB

# IN\_LINE TUB S A 60 X2



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2301.14.930.WH	2 x 504	2 x 4,5	3000	>90	White
06.2301.14.930.BK	2 x 504	2 x 4,5	3000	>90	Black
06.2301.14.930.BR	2 x 504	2 x 4,5	3000	>90	Brass
06.2301.14.930.CR	2 x 504	2 x 4,5	3000	>90	Chrome
<b>NEW</b> 06.2301.14.930.DB	2 x 504	2 x 4,5	3000	>90	Diamond black
<b>NEW</b> 06.2301.14.930.SB	2 x 504	2 x 4,5	3000	>90	Sahara beige
06.2301.14.940.WH	2 x 536	2 x 4,5	4000	>90	White
06.2301.14.940.BK	2 x 536	2 x 4,5	4000	>90	Black
06.2301.14.940.BR	2 x 536	2 x 4,5	4000	>90	Brass
06.2301.14.940.CR	2 x 536	2 x 4,5	4000	>90	Chrome
<b>NEW</b> 06.2301.14.940.DB	2 x 536	2 x 4,5	4000	>90	Diamond black
<b>NEW</b> 06.2301.14.940.SB	2 x 536	2 x 4,5	4000	>90	Sahara beige



MATERIAL | AL PC

[i](#) » 318


### ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32


[i](#) » 313



## IN\_LINE ZOOM S




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0369.6.930.WH	228 - 307	5,4	3000	>90	White
06.0369.6.930.BK	228 - 307	5,4	3000	>90	Black
06.0369.6.940.WH	240 - 322	5,4	4000	>90	White
06.0369.6.940.BK	240 - 322	5,4	4000	>90	Black




MATERIAL | AL PC

» 318

## IN\_LINE TUB M NB



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0595.9.930.WH	640	10	3000	>90	White
06.0595.9.930.BK	640	10	3000	>90	Black
06.0595.9.940.WH	640	10	4000	>90	White
06.0595.9.940.BK	640	10	4000	>90	Black




MATERIAL | AL PC

» 318

## IN\_LINE ZOOM




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0599.13.930.WH	615 - 1040	13	3000	>90	White
06.0599.13.930.BK	615 - 1040	13	3000	>90	Black
06.0599.13.940.WH	615 - 1040	13	4000	>90	White
06.0599.13.940.BK	615 - 1040	13	4000	>90	Black



MATERIAL | AL PC


» 318




06.0369.6.930.WH




06.0369.6.930.BK



06.0599.13.930.WH



06.0599.13.930.BK




06.0595.9.930.WH



06.0595.9.930.BK



# IN\_LINE GALLERY




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.5160.13.930.WH	600	6,3	3000	>90	White
06.5160.13.930.BK	600	6,3	3000	>90	Black
06.5160.13.940.WH	620	6,3	4000	>90	White
06.5160.13.940.BK	620	6,3	4000	>90	Black

MATERIAL | AL PC (i) » 318

A (mm)	H (mm)	φ (mm)
1000	320	500
2000	630	990
3000	950	1490





06.5160.13.930.WH



06.5160.13.930.BK



# IN\_LINE TUB M A 90



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0591.14.930.WH	1210	10,8	3000	>90	White
06.0591.14.930.BK	1210	10,8	3000	>90	Black
06.0591.14.930.WHW	1210	10,8	3000	>90	White/White
06.0591.14.930.BR	1210	10,8	3000	>90	Brass
06.0591.14.930.CR	1210	10,8	3000	>90	Chrome
<b>NEW</b> 06.0591.14.930.DB	1210	10,8	3000	>90	Diamond black
<b>NEW</b> 06.0591.14.930.SB	1210	10,8	3000	>90	Sahara beige
06.0591.14.940.WH	1320	10,8	4000	>90	White
06.0591.14.940.BK	1320	10,8	4000	>90	Black
06.0591.14.940.WHW	1320	10,8	4000	>90	White/White
06.0591.14.940.BR	1320	10,8	4000	>90	Brass
06.0591.14.940.CR	1320	10,8	4000	>90	Chrome
<b>NEW</b> 06.0591.14.940.DB	1320	10,8	4000	>90	Diamond black
<b>NEW</b> 06.0591.14.940.SB	1320	10,8	4000	>90	Sahara beige



MATERIAL | AL PC

» 318



06.0591.14.930.WHW



06.0591.14.930.BK



06.0591.14.930.SB



06.0591.14.930.BR



06.0591.14.930.CR




06.0591.14.930.DB

## ACCESSORIES

- Shield TUB M Copper 06.A05SH.CP
- Shield TUB M Brass 06.A05SH.BR
- Shield L TUB M Copper 06.A05SHL.CP
- Shield L TUB M Brass 06.A05SHL.BR
- Wall washer 06.A05WW
- Snoot, black 06.A05NB
- Foggy cover 06.A05FG
- Honeycomb 06.A05HC
- Elips diffuser 06.A05ELPS
- Foggy diffuser 06.A05SFT
- Lens 15° 06.A05LS15
- Lens 30° 06.A05LS30


» 313



# IN\_LINE TUB M A 140



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0514.19.930.WH	1640	19	3000	>90	White
06.0514.19.930.BK	1640	19	3000	>90	Black
06.0514.19.940.WH	1885	19	4000	>90	White
06.0514.19.940.BK	1885	19	4000	>90	Black



MATERIAL | AL PC

[i](#) » 318

## ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

[i](#) » 313



06.0514.19.930.WH




06.0514.19.930.BK



# IN\_LINE SOL MINI



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.7526.7.930.WH	640	7	3000	>90	White
06.7526.7.930.BK	640	7	3000	>90	Black
06.7526.7.940.WH	695	7	4000	>90	White
06.7526.7.940.BK	695	7	4000	>90	Black




MATERIAL | AL PC

[i](#) » 318


### ACCESSORIES

	Replaceable ring. White color	SOL M RING WHITE
	Replaceable ring. Black color	SOL M RING BLACK
	Replaceable ring. Copper color	SOL M RING COPPER
	Replaceable ring. Brass color	SOL M RING BRASS
	Replaceable ring. Chrome color	SOL M RING CHROME
	Replaceable ring. Diamond black color	SOL M RING DIAMOND BLACK

[i](#) » 313



06.7526.7.930.WH + SOL M RING BRASS    06.7526.7.930.WH + SOL M RING COPPER    06.7526.7.930.WH + SOL M RING CHROME    06.7526.7.930.WH + SOL M RING DIAMOND BLACK




06.7526.7.930.BK + SOL M RING BRASS    06.7526.7.930.BK + SOL M RING COPPER    06.7526.7.930.BK + SOL M RING CHROME    06.7526.7.930.WH + SOL M RING DIAMOND BLACK

# IN\_LINE SOL



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.9533.14.930.WH	1210	10,8	3000	>90	White
06.9533.14.930.BK	1210	10,8	3000	>90	Black
06.9533.14.940.WH	1320	10,8	4000	>90	White
06.9533.14.940.BK	1320	10,8	4000	>90	Black



MATERIAL | AL PC

[i](#) » 318

### ACCESSORIES


	Replaceable ring. White color	SOL RING WHITE
	Replaceable ring. Black color	SOL RING BLACK
	Replaceable ring. Copper color	SOL RING COPPER
	Replaceable ring. Brass color	SOL RING BRASS
	Replaceable ring. Chrome color	SOL RING CHROME
	Replaceable ring. Diamond black color	SOL RING DIAMOND BLACK

	Lens 12°	06.A09LS12
--	----------	------------

[i](#) » 313




06.9533.14.930.WH + SOL RING BRASS    06.9533.14.930.WH + SOL RING COPPER    06.9533.14.930.WH + SOL RING CHROME    06.9533.14.930.WH + SOL RING DIAMOND BLACK



06.9533.14.930.BK + SOL RING BRASS    06.9533.14.930.BK + SOL RING COPPER    06.9533.14.930.BK + SOL RING CHROME    06.9533.14.930.BK + SOL RING DIAMOND BLACK

## IN\_LINE WIN





Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.win.3.930.BK	1800	3	3000	>90	Black



MATERIAL | AL GL

i » 318

## IN\_LINE SFERA




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1001.5.930.WH	498	5	3000	>90	White




MATERIAL | AL GL

i » 318

## IN\_LINE ART




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2420.14.930.BK	750	14	3000	>90	Black




MATERIAL | AL PC

i » 318

# IN\_LINE STICKS



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.8003.20.830.BK	2400	20	3000	>90	Black




MATERIAL | AL PC


» 318



# IN\_LINE BALL M



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1000.7.930.WH	590	7	3000	>90	White
06.1000.7.930.BK	590	7	3000	>90	Black




MATERIAL | AL GL

» 318




06.1000.7.930.WH




06.1000.7.930.BK

# IN\_LINE BALL L




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1800.28.930.WH	2181	28	3000	>90	White
06.1800.28.930.BK	2181	28	3000	>90	Black



MATERIAL | AL GL

» 318




06.1800.28.930.WH




06.1800.28.930.BK



# IN\_LINE TUB XS P




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0160.2.930.WH	137	2,4	3000	>90	White
06.0160.2.930.BK	137	2,4	3000	>90	Black
06.0160.2.930.BR	137	2,4	3000	>90	Brass



MATERIAL | AL PC

» 318



06.0160.2.930.WH

06.0160.2.930.BK


06.0160.2.930. BR



## IN\_LINE MATCH 450



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0340.7.930.BR	415	7	3000	>90	Brass
06.0340.7.940.BR	415	7	4000	>90	Brass




MATERIAL | BR PC

» 318

## IN\_LINE MATCH 550




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0350.7.930.BR	415	7	3000	>90	Brass
06.0350.7.940.BR	415	7	4000	>90	Brass





MATERIAL | BR PC

» 318



# IN\_LINE TUB S P 200



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0320.8.930.WH	558	8	3000	>90	White
06.0320.8.930.BK	558	8	3000	>90	Black
06.0320.8.930.BR	558	8	3000	>90	Brass
<b>NEW</b> 06.0320.8.930.DB	558	8	3000	>90	Diamond black
06.0320.8.940.WH	558	8	4000	>90	White
06.0320.8.940.BK	558	8	4000	>90	Black
06.0320.8.940.BR	558	8	4000	>90	Brass
<b>NEW</b> 06.0320.8.940.DB	558	8	4000	>90	Diamond black



MATERIAL | AL PC

[i](#) » 318

### ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313





06.0320.8.930.WH

06.0320.8.930.BK

06.0320.8.930.BR

06.0320.8.930.DB

# IN\_LINE TUB S P 300



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0331.8.930.WH	389	8	3000	>90	White
06.0331.8.930.BK	389	8	3000	>90	Black
<b>NEW</b> 06.0331.8.930.BR	389	8	3000	>90	Brass
06.0331.8.940.WH	474	8	4000	>90	White
06.0331.8.940.BK	474	8	4000	>90	Black
<b>NEW</b> 06.0331.8.940.BR	474	8	4000	>90	Brass




MATERIAL | AL PC

[i](#) » 318

### ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313




06.0331.8.930.WH

06.0331.8.930.BK

06.0331.8.930.BR

# IN\_LINE TUB S P 600



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0360.8.930.WH	657	8	3000	>90	White
06.0360.8.930.BK	657	8	3000	>90	Black
06.0360.8.930.BR	657	8	3000	>90	Brass
06.0360.8.940.WH	657	8	4000	>90	White
06.0360.8.940.BK	657	8	4000	>90	Black
06.0360.8.940.BR	657	8	4000	>90	Brass




MATERIAL | AL PC

[i](#) » 318

### ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313




06.0360.8.930.WH

06.0360.8.930.BK

06.0360.8.930.BR

# IN\_LINE TUB S P 300 ZOOM



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0339.6.930.WH	228 - 307	5,4	3000	>90	White
06.0339.6.930.BK	228 - 307	5,4	3000	>90	Black
06.0339.6.940.WH	228 - 307	5,4	4000	>90	White
06.0339.6.940.BK	228 - 307	5,4	4000	>90	Black



MATERIAL | AL PC

[i](#) » 318



06.0339.6.930.WH

06.0339.6.930.BK

# IN\_LINE TUB M P 200




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0521.19.930.WH	1280	10,8	3000	>90	White
06.0521.19.930.BK	1280	10,8	3000	>90	Black
06.0521.19.940.WH	1348	10,8	4000	>90	White
06.0521.19.940.BK	1348	10,8	4000	>90	Black



MATERIAL | AL PC


» 318



### ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

» 313



06.0521.19.930.WH + 06.A05SH.BR

06.0521.19.930.BK + 06.A05SH.BR

06.0521.19.930.WH + 06.A05SHL.BR

06.0521.19.930.BK + 06.A05SHL.BR



06.0521.19.930.WH + 06.A05SH.CP

06.0521.19.930.BK + 06.A05SH.CP

06.0521.19.930.WH + 06.A05SHL.CP

06.0521.19.930.BK + 06.A05SHL.CP

# IN\_LINE TUB M P 200 ZOOM





Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0529.13.930.WH	615-1040	13	3000	>90	White
06.0529.13.930.BK	615-1040	13	3000	>90	Black
06.0529.13.940.WH	615-1040	13	4000	>90	White
06.0529.13.940.BK	615-1040	13	4000	>90	Black



MATERIAL | AL PC

» 318




06.0529.13.930.WH

06.0529.13.930.BK

## IN\_LINE CONE



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.3200.12.930.BK	715	12	3000	>90	Black




MATERIAL | AL PC

[i](#) » 318

## IN\_LINE DISK




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1570.15.930.BK	715	15	3000	>90	Black



MATERIAL | AL PC

[i](#) » 318







## SERIES LUMINAIRES IN\_LINE TUNABLE WHITE

The IN\_LINE TRACK series features luminaires with Tunable White (TW) color temperature and brightness control technology from 2700K to 6500K. Dimming and color temperature changes are controlled separately from each other.

## IN\_LINE LINEA 205 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2050.6.TW.WH	419 - 435	6	2700 - 6500	>90	White
06.2050.6.TW.BK	419 - 435	6	2700 - 6500	>90	Black





MATERIAL | AL PC

» 318

## IN\_LINE COMFORT B 205 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2052.10.TW.BK	563 - 632	10	2700 - 6500	>90	Black




MATERIAL | AL PC

» 318

## IN\_LINE LINEA 407 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.4070.11.TW.WH	733 - 834	11	2700 - 6500	>90	White
06.4070.11.TW.BK	733 - 834	11	2700 - 6500	>90	Black





MATERIAL | AL PC

» 318

## IN\_LINE LINEA B 205 TW




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2053.6.TW.WH	419 - 435	10	2700 - 6500	>90	White
06.2053.6.TW.BK	419 - 435	10	2700 - 6500	>90	Black




MATERIAL | AL PC

» 318

## IN\_LINE COMFORT 205 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2051.10.TW.WH	563 - 632	10	2700 - 6500	>90	White
06.2051.10.TW.BK	563 - 632	10	2700 - 6500	>90	Black



MATERIAL | AL PC

» 318



06.2053.6.TW.WH




06.2053.6.TW.BK



## IN\_LINE TUB S A 60 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0361.6.TW.WH	393 - 454	6,3	2700 - 6500	>90	White
06.0361.6.TW.BK	393 - 454	6,3	2700 - 6500	>90	Black




MATERIAL | AL PC (i) » 318

## IN\_LINE TUB S A 140 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0514.18.TW.WH	1140 - 1386	18	2700 - 6500	>90	White
06.0514.18.TW.BK	1140 - 1386	18	2700 - 6500	>90	Black




MATERIAL | AL PC (i) » 318

## IN\_LINE TUB S A 90 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0591.13.TW.WH	840 - 994	13	2700 - 6500	>90	White
06.0591.13.TW.BK	840 - 994	13	2700 - 6500	>90	Black




MATERIAL | AL PC (i) » 318

### ACCESSORIES

- Shield TUB M Copper 06.A05SH.CP
- Shield TUB M Brass 06.A05SH.BR
- Shield L TUB M Copper 06.A05SHL.CP
- Shield L TUB M Brass 06.A05SHL.BR
- Wall washer 06.A05WW
- Snoot, black 06.A05NB
- Foggy cover 06.A05FG
- Honeycomb 06.A05HC
- Elips diffuser 06.A05ELPS
- Foggy diffuser 06.A05SFT
- Lens 15° 06.A05LS15
- Lens 50° 06.A05LS50

(i) » 313




06.0361.6.TW.WH

06.0361.6.TW.BK

06.0591.13.TW.WH



06.0591.13.TW.BK



06.0514.18.TW.WH

06.0514.18.TW.BK

# IN\_LINE SOL TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.9533.13.TW.WH	881 - 1025	13	2700 - 6500	>90	White
06.9533.13.TW.BK	881 - 1025	13	2700 - 6500	>90	Black

MATERIAL | AL PC

[i](#) » 318


## ACCESSORIES

	Replaceable ring. White color	SOL RING WHITE
	Replaceable ring. Black color	SOL RING BLACK
	Replaceable ring. Copper color	SOL RING COPPER
	Replaceable ring. Brass color	SOL RING BRASS
	Replaceable ring. Chrome color	SOL RING CHROME
	<b>NEW</b> Replaceable ring. Diamond black color	SOL RING DIAMOND BLACK
	Lens 12°	06.A09LS12
	Lens 38°	06.A09LS38

[i](#) » 313




06.9533.13.TW .BK + SOL RING BRASS



06.9533.13.TW.BK + SOL RING COPPER




06.9533.13.TW.BK + SOL RING CHROME



06.9533.13.TW.BK + SOL RING DIAMOND BLACK





Connected App is a smartphone and tablet app that allows you to control lighting installed on WIZ devices.

To get started with the WIZ app, you'll need to:

- Install WIZ lamps or fixtures in your home or office.
- They should be connected to Wi-Fi.
- Download the WIZ Connected App on your smartphone or tablet. The app is available for free on iOS and Android devices.
- Register on the app and set up your account.

After registration, you'll be prompted to add all the WIZ devices you want to control to the app. You can do this by following the instructions in the app.



2700K



3000K




4000K




6500K

# LTX

## OUTDOOR



# RAIN IP



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
08.0667.6.930.WH	516	6,3	3000	>90	700	White
08.0667.6.930.GR	516	6,3	3000	>90	700	Graphite

**i** DRIVER MUST BE PLACED ON REMOTE



MATERIAL | **AL** **GL**

**i** » 318




08.0667.6.930.WH



08.0667.6.930.GR



# KASK



Code	Product Lumen	Power Watt	Color T (K)	CRI	*	Color
08.1100.7.000.GR	xxx	7	xxx	xxx	GU10	Graphite


ⓘ 1 X LED BULB GU10 NOT INCLUDED



MATERIAL | AL GL

ⓘ » 318

# BARREL76 S



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
08.1111.9.930.GR.50	1200	9	3000	>90	250	Graphite




MATERIAL | AL GL

ⓘ » 318



# BIM70 S



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.1112.8.930.GR.50	948	8,4	3000	>90	220	Graphite




MATERIAL | AL GL

» 318



# GRAPH1



Code	Product Lumen	Power Watt	Color T (K)	CRI	*	Color
08.2010.7.000.WH	xxx	7	xxx	xxx	GU10	White
08.2010.7.000.GR	xxx	7	xxx	xxx	GU10	Graphite


ⓘ 1 X LED BULB GU10 NOT INCLUDED



MATERIAL | AL GL

ⓘ » 318

# GRAPH2



Code	Product Lumen	Power Watt	Color T (K)	CRI	*	Color
08.2010.14.000.WH	xxx	2x7	xxx	xxx	GU10	White
08.2010.14.000.GR	xxx	2x7	xxx	xxx	GU10	Graphite

ⓘ 2 X LED BULB GU10 NOT INCLUDED



MATERIAL | AL GL


ⓘ » 318



08.2010.7.000.WH



08.2010.14.000.WH






# BRICK 1



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.2003.4.930.WH	314	4	3000	>90	220	White
08.2003.4.930.GR	314	4	3000	>90	220	Graphite




MATERIAL | AL GL (i) » 318


# BRICK 2



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.2003.8.930.WH	2 x 314	2 x 4	3000	>90	220	White
08.2003.8.930.GR	2 x 314	2 x 4	3000	>90	220	Graphite



MATERIAL | AL GL (i) » 318



08.2003.4.930.WH


08.2003.8.930.WH



# BUTTON IP



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.2051.18.927.GR	161	18	2700	>90	220	Graphite




MATERIAL | AL GL

» 318



# ON WALL

NEW



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.2036.14.930.GR	769	14	3000	>90	220	Graphite




MATERIAL | AL GL

» 318



# ON WALL IP



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.2020.13.930.GR	455	12,6	3000	>90	220	Graphite




MATERIAL | AL GL


» 318



# WIN IP




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.1052.5.930.GR	198	4,5	3000	>90	220	Graphite




MATERIAL | AL GL

» 318




## IN WALL IP



	Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
<b>NEW</b>	<b>08.5240.R2.927.WH</b>	21	2,1	2700	>90	700	White
	<b>08.5240.R2.927.GR</b>	21	2,1	2700	>90	700	Graphite


**i** DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL GL


**i** » 318

## IN WALL IP




	Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
<b>NEW</b>	<b>08.5240.S2.927.WH</b>	7	2,1	2700	>90	700	White
	<b>08.5240.S2.927.GR</b>	7	2,1	2700	>90	700	Graphite

**i** DRIVER MUST BE PLACED ON REMOTE




MATERIAL | AL GL

**i** » 318




08.5240.R2.927.WH



08.5240.S2.927.WH




## IN WALL IP



	Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
<b>NEW</b>	<b>08.5239.R2.927.WH</b>	21	2,1	2700	>90	700	White
	<b>08.5239.R2.927.GR</b>	21	2,1	2700	>90	700	Graphite


**i** DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL GL


**i** » 318

## IN WALL IP




	Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
<b>NEW</b>	<b>08.5239.S2.927.WH</b>	7	2,1	2700	>90	700	White
	<b>08.5239.S2.927.GR</b>	7	2,1	2700	>90	700	Graphite

**i** DRIVER MUST BE PLACED ON REMOTE




MATERIAL | AL GL

**i** » 318




08.5239.R2.927.WH



08.5239.S2.927.WH




# IN WALL DOT



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.3854.R1.830.SS	42	1,4	3000	>80	24	Stainless steel

*i* DRIVER MUST BE PLACED ON REMOTE




MATERIAL | **INOX**

*i* » 318





## VISOR50




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.3011.8.930.GR.15	750	7,7	3000	>90	48	Graphite
08.3011.8.930.GR.30	750	7,7	3000	>90	48	Graphite
08.3011.8.930.GR.50	750	7,7	3000	>90	48	Graphite

DRIVER MUST BE PLACED ON REMOTE

## ACCESSORIES

	Spike	D 40 mm, H 164 mm	08.3011.SPIKE
	Anchor system	D 38 mm H 182 mm	08.3011.ANCHOR


» 313



MATERIAL | AL GL

» 318

## VISOR72




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.3012.11.930.GR.15	1423	10,3	3000	>90	48	Graphite
08.3012.11.930.GR.30	1423	10,3	3000	>90	48	Graphite
08.3012.11.930.GR.50	1423	10,3	3000	>90	48	Graphite

DRIVER MUST BE PLACED ON REMOTE

## ACCESSORIES

	Tree belt	W 80 mm, H 60 mm, L 1800 mm	08.30.1112.BELT
	Spike	D 40 mm, H 164 mm	08.3011.SPIKE
	Anchor system	D 60 mm H 172 mm	08.3012.ANCHOR


» 313



MATERIAL | AL GL


» 318

# VISOR140



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.3007.6.930.GR	205	6,3	3000	>90	220	Graphite

### Installation of the luminous flux limiter




MATERIAL | AL GL

» 318


### ACCESSORIES

	Tree belt	W 80 mm, H 60 mm, L 1800 mm	08.30.1112.BELT
	Spike	D 40 mm, H 164 mm	08.3011.SPIKE
	Anchor system	D 60 mm H 172 mm	08.3012.ANCHOR


» 313




## UPP77



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.4011.8.930.SS.30	750	7,7	3000	>90	48	Stainless steel



**i** DRIVER MUST BE PLACED ON REMOTE




MATERIAL | **INOX** ○ GL

**i** » 318


## UPP77 WW



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.4012.6.930.SS.WW	503	6,2	3000	>90	48	Stainless steel



**i** DRIVER MUST BE PLACED ON REMOTE





MATERIAL | **INOX** ○ GL

**i** » 318

## UPP 220V



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.4013.R6.930.SS.30	532	6,3	3000	>90	220	Stainless steel




MATERIAL | **INOX** ○ GL

**i** » 318



# BARD1 68




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.5000.10.830.GR	600	10	3000	>90	220	Graphite




MATERIAL | AL PMMA

» 318



# BARD2




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.5001.10.930.GR	752	10	3000	>90	220	Graphite



MATERIAL | AL PMMA


» 318



# BARD3




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.5003.13.927.GR	894	13	2700	>90	220	Graphite



MATERIAL | AL PMMA


» 318



# BARD4



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.5004.18.927.GR	617	18	2700	>90	220	Graphite




LED CE ENE ↓ III F IP65 INCL 120°

MATERIAL | AL PMMA

[i](#) » 318



# BARD5




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.5005.18.927.GR	685	18	2700	>90	220	Graphite



MATERIAL | AL PMMA

» 318






# BARD6





Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.5006.18.927.GR	877	18	2700	>90	220	Graphite




MATERIAL | AL PMMA

» 318



## YARD 2



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.6006.4.830.GR	160	4	3000	>90	48	Graphite


*i* DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL PC

*i* » 318

## YARD 2



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.6012.8.830.GR	320	8	3000	>90	48	Graphite

*i* DRIVER MUST BE PLACED ON REMOTE




MATERIAL | AL PC

*i* » 318



# YARD



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.6010.4.927.GR	248	3,6	2700	>90	24	Graphite


ⓘ DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL PC

ⓘ » 318

# YARD 1



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.6020.6.930.GR	248	6,3	3000	>90	220	Graphite



MATERIAL | AL PC

ⓘ » 318






# LED STRIP & PROFILE




Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
<b>11.48.120.09.20.050.830</b>	5000x10x1,6	48	120	9,6	830	>80	3000K
<b>11.48.120.09.20.050.840</b>	5000x10x1,6	48	120	9,6	840	>80	4000K



[i](#) » 318



Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
<b>11.48.120.09.20.300.830</b>	30000x10x1,6	48	120	9,6	830	>80	3000K
<b>11.48.120.09.20.300.840</b>	30000x10x1,6	48	120	9,6	840	>80	4000K




[i](#) » 318



11.48.120.09.20.050.830





11.48.120.09.20.050.840



Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
<b>11.24.S120.10.20.050.830</b>	5000x8x1,5	24	120	9,6	960	>80	3000K
<b>11.24.S120.10.20.050.840</b>	5000x8x1,5	24	120	9,6	1040	>80	4000K



[i](#) » 318




Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
<b>11.24.S120.10.65.050.830</b>	5000x10x4,8	24	120	9,6	960	>80	3000K
<b>11.24.S120.10.65.050.840</b>	5000x10x4,8	24	120	9,6	1040	>80	4000K



[i](#) » 318






Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.120.10.20.050.923	5000x12x1,5	24	120	9,6	760	>90	2300K

» 318






Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.128.09.20.050.830	5000x8x1,5	24	128	9,6	1335	>80	3000K



i » 318








Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.192.19.20.040.930	4000x15x1,5	24	192	20,8	2250	>90	3000K
11.24.192.19.20.040.940	4000x15x1,5	24	192	20,8	2345	>90	4000K

[i](#) » 318






Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.COF4.09.20.025.927	2500x4x1,6	24	COF	9	610	>90	2700K
11.24.COF4.09.20.025.930	2500x4x1,6	24	COF	9	680	>90	3000K
11.24.COF4.09.20.025.940	2500x4x1,6	24	COF	9	760	>90	4000K




(i) » 318



Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.COF8.09.20.050.930	5000x8x1,6	24	COF	9	640	>90	3000K
11.24.COF8.09.20.050.940	5000x8x1,6	24	COF	9	640	>90	4000K



(i) » 318



Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.COF8.09.67.050.930	5000x10x4,8	24	COF	9	640	>90	3000K
11.24.COF8.09.67.050.940	5000x10x4,8	24	COF	9	640	>90	4000K



(i) » 318



11.24.COF4.09.20.025.927





11.24.COF4.09.20.025.930



11.24.COF4.09.20.025.940







Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	Color T(K)
11.24.120.11.20.050.RGB	5000x8x1,5	24	120	11	430	RGB
						Red
						Green
						Blue




» 318




Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	Color T(K)
11.24.168.16.20.050.RGB	5000x10x1,5	24	168	17,3	534	RGB
						Red
						Green
						Blue



» 318






Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	Color T(K)
11.24.60.19.20.050.RGBW	5000x12x2,1	24	60	19,2	430	RGB
					/	Red
					/	Green
					/	Blue
					703	3000K



» 318






Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	Color T(K)
11.24.140.17.20.050.927-960	5000x10x1,6	24	140	19,2	1710	2700-6000K



» 318







Code	Size (mm)	DC(V)	Max. W/m	LM/m	CRI	Color T(K)
11.24.D18.14.65.050.930	5000xØ18	24	16	800	>90	3000K
11.24.D18.14.65.050.940	5000xØ18	24	16	800	>90	4000K



[i](#) » 318




Code	Size (mm)	DC(V)	Max. W/m	LM/m	CRI	Color T(K)
11.24.D25.14.65.050.930	5000xØ25	24	16	950	>90	3000K
11.24.D25.14.65.050.940	5000xØ25	24	16	950	>90	4000K



[i](#) » 318



# FLEXY 48



Code	Product Lumen/m	Power Watt/m	Color T (K)	CRI	DC (V)	Color
11.48N.2010.5.500.827	140	5,8	2700	>80	48	White
11.48N.2010.5.500.830	140	5,8	3000	>80	48	White




» 318

### ACCESSORIES


	END CAP One end cap +one plug	11.SECAP.WH
	Installation clip	11.CLIP.ALUE
	Installation profile	11.S1000.ALU
	Gum filler 10ml	11.GLU.10



# PROFILE COUNTUR



Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.4033.25	Profile x 1	2500x59x58	Aluminum	Silver
	Diffuser x 1	2500x34,2x10,2	Polycarbonate	Opal
	End cap x 2	46,1x26,4x1,5	Polycarbonate	Silver
12.4033.EC	End cap	46,1x26,4x1,5	Polycarbonate	Silver




(i) » 318






## PROFILE CENTRAL 1




Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.2013.25	Profile x 1	2500x60x13	Aluminum	Silver
	Diffuser x 1	2500x16,7x7,8	Polycarbonate	Opal
	End cap x 2	20x20x4,5	Polycarbonate	Silver
12.2013.EC	End cap	20x20x4,5	Polycarbonate	Silver




(i) » 318

## PROFILE COUNTUR TRIM




Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.2409.25	Profile x 1	2500x23,8x8,8	Aluminum	Silver
	Diffuser x 1	2500x6,4x2,8	Polycarbonate	Opal
	End cap x 2	23,8x8,8x13,3	Polycarbonate	Silver
12.2409.EC	End cap	23,8x8,8x13,3	Polycarbonate	Silver




(i) » 318

## PROFILE CENTRAL 2




Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.3524.25	Profile x 1	2500x85x24	Aluminum	Silver
	Diffuser x 1	2500x34,2x10,2	Polycarbonate	Opal
	End cap x 2	38,6x24x2	Polycarbonate	Silver
12.3524.EC	End cap	38,6x24x2	Polycarbonate	Silver




(i) » 318

## PROFILE MINI TRIM





Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.2513.25	Profile x 1	2500x25x13	Aluminum	Silver
	Diffuser x 1	2500x14,7x4,5	Polycarbonate	Opal
	End cap x 2	25x13x11	Polycarbonate	Silver
12.2513.EC	End cap	25x13x11	Polycarbonate	Silver



(i) » 318

## PROFILE IN





Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.1212.IN.25	Profile x 1	2500x45,4x25,1	Aluminum	Silver
	Diffuser x 1	2500x11x4,6	Polycarbonate	Opal
	End cap x 2	12,5x13,3x6,7	Polycarbonate	Silver
12.1212.IN.EC	End cap	12,5x13,3x6,7	Polycarbonate	Silver



(i) » 318


## PROFILE OUT




Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.1212.OUT.25	Profile x 1	2500x50x22,3	Aluminum	Silver
	Diffuser x 1	2500x11x4,6	Polycarbonate	Opal
	End cap x 2	22,1x15x7	Polycarbonate	Silver
12.1212.OUT.EC	End cap	22,1x15x7	Polycarbonate	Silver




(i) » 318



## PROFILE W&T IN



Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
<b>12.1417.WT.IN.25</b>	Profile	2500x43x43	Aluminum	Silver
<b>12.1417.WT.IN.DIF</b>	Diffuser	1000x14x3	Polycarbonate	Opal
<b>12.1417.WT.IN.EC</b>	End cap	15,2x12,2x7	Polycarbonate	Silver




(i) » 318

## PROFILE IN SURF




Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
<b>12.1616.25</b>	Profile x 1	2500x16x16	Aluminum	Silver
	Diffuser x 1	2500x19,4x6	Polycarbonate	Opal
	End cap x 2	16x16x6,5	Polycarbonate	Silver
<b>12.1616.EC</b>	End cap	16x16x6,5	Polycarbonate	Silver




(i) » 318

## PROFILE W&T OUT





Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
<b>12.2510.WT.OUT.25</b>	Profile x 1	2500x36x36	Aluminum	Silver
	Diffuser x 1	2500x18,9x6,5	Polycarbonate	Opal
	End cap x 2	22,6x13,34x7	Polycarbonate	Silver
<b>12.2510.WT.OUT.EC</b>	End cap	22,6x13,34x7	Polycarbonate	Silver



(i) » 318

## PROFILE FLOOR IN





Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.2127.25	Profile x 1	2500x21,3x26,1	Aluminum	Silver
	Diffuser x 1	2500x19x5	Polycarbonate	Opal
	End cap x 2	25,8x21,4x6	Polycarbonate	Silver
12.2127.EC	End cap	25,8x21,4x6	Polycarbonate	Silver



(i) » 318

## PROFILE FLOOR





Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.1032.25	Profile x 1	2500x31,7x99,5	Aluminum	Silver
	Diffuser x 1	2500x13,7x8,5	Polycarbonate	Opal



(i) » 318

## PROFILE FLOOR IN





Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.2711.25	Profile x 1	2500x27,1x11	Aluminum	Silver
	Diffuser x 1	2500x11x10	Polycarbonate	Opal
	End cap x 2	27x11x10	Polycarbonate	Silver
12.2711.EC	End cap	27x11x10	Polycarbonate	Silver



(i) » 318



## SHIELD FOR TUB M





	Code	Color
Replaceable shield	06.A05SH.BR	Brass
	06.A05SH.CP	Copper

CE ENEC IP20

MATERIAL | AL

## SHIELD L FOR TUB M





	Code	Color
Replaceable shield L	06.A05SHL.BR	Brass
	06.A05SHL.CP	Copper

CE ENEC IP20


MATERIAL | AL

## WALL WASHER FOR TUB M





Code	
Replaceable wall washer, black color	06.A05WW
CE ENEC IP20 MATERIAL   PC	

## DIFFUSER FOGGY FOR TUB M




Code	
Replaceable foggy diffuser	06.A05SFT
CE ENEC IP20 MATERIAL   PC	

## SNOOT FOR TUB M





Code	
Replaceable snoot, black color	06.A05NB
CE ENEC IP20 MATERIAL   PC	

## DIFFUSER LINE FOR TUB M





Code	
Replaceable line diffuser	06.A05ELPS
CE ENEC IP20 MATERIAL   PC	

## FOGGY COVER FOR TUB M




Code	
Replaceable foggy cover, mat white color	06.A05FG
CE ENEC IP20 MATERIAL   GL	

## HONEYCOMB FOR TUB



	Model	Size	Code
Replaceable honeycomb, black color	TUB S	23 mm	06.A03HC
	TUB M	43 mm	06.A05HC
	TUB L	62 mm	06.A07HC
CE ENEC IP20 MATERIAL   AL			

## LENS



			Code
Series TUB S		Lens 24°	06.A03LS24
		Lens 15°	06.A05LS15
Series TUB M		Lens 30°	06.A05LS30
		Lens 12°	01.A39LS12
Series NANO		Lens 30°	01.A39LS30
		Lens 12°	06.A09LS12


CE ENEC IP20

MATERIAL | PC

## RING FOR SOL MINI




	Color	Code
Replaceable ring series SOL MINI	White	SOL M RING WHITE
	Black	SOL M RING BLACK
	Diamond black	SOL M RING DIAMOND BLACK
	Brass	SOL M RING BRASS
	Copper	SOL M RING COPPER
	Chrome	SOL M RING CHROME



CE ENEC IP20

MATERIAL | AL

## RING FOR SOL




	Color	Code
Replaceable ring series SOL	White	SOL RING WHITE
	Black	SOL RING BLACK
	Diamond black	SOL RING DIAMOND BLACK
	Brass	SOL M RING BRASS
	Copper	SOL RING COPPER
	Chrome	SOL RING CHROME



CE ENEC IP20

MATERIAL | AL

## SHIELD FOR NANO R




	Color	Code
Replaceable shield series NANO R	White	01.A390.WH
	Black	01.A390.BK
	Brass	01.A390.BR
	Copper	01.A390.CP

CE ENEC IP20

MATERIAL | AL

## SHIELD FOR NANO S



	Color	Code
Replaceable shield series NANO S	White	01.A391.WH
	Black	01.A391.BK
	Brass	01.A391.BR
	Copper	01.A391.CP

CE ENEC IP20

MATERIAL | AL

# SYMBOLS GLOSSARY

## NOTE CONCERNING THE VALUES INDICATED IN THIS CATALOGUE

The power (W) and luminous flux (Lm) values indicated in this catalogue correspond to the luminaire.

## LUMEN

The lumen (lm) is the unit that measures the luminous flux, a measurement of the luminous output emitted by the source. The luminous flux is the measurement of total luminous output emitted by a lamp and that is perceived by the human eye.

## CRI

A color rendering index (CRI) is a quantitative measure of the ability of a light source to reveal the colors of various objects faithfully in comparison with an ideal or natural light source.

















## COLOR TEMPERATURE

The color temperature from a light Source is measured in degrees Kelvin (K). Color temperatures over 5000K are known as cold colors (blue-white) while temperatures between 2700 and 3000K are considered as warm colors.

## IP CODE



















Coding system that indicates the levels of protection achieved by means of a coating against access to hazardous parts, intrusion of solid foreign bodies and water ingress. The IP code is composed of two digits located immediately after the letters "IP", and whose meaning is explained in the table below:

# SYMBOLS GLOSSARY

-  Protected against the ingress of solid bodies greater than  $\varnothing$  12 mm. No protection against the ingress of moisture
-  Protected against the ingress of solid bodies greater than  $\varnothing$  2,5mm. Protected against sprays of water
-  Protected against the ingress of solid bodies greater than  $\varnothing$  1 mm. No protection against the ingress of moisture
-  Protected against the ingress of solid bodies greater than  $\varnothing$  1 mm. Protected against rain
-  Protected against the ingress of solid bodies greater than  $\varnothing$  1 mm. Protected against splashing water
-  Protected against the ingress of dust. Protected against jets of water
-  Protected against the ingress of dust. Protected from powerful jets of water
-  Protected against the ingress of dust. Protected against immersion in water for limited periods
-  Protected against the ingress of dust. Protected against total immersion in water for an indefinite period (depth shown in meters)
-  Class I  
Fitting whose protection against electric shock is based on earth wiring
-  Class II  
Fitting whose protection against electric shock is based on reinforced double insulation
-  Class III  
Fitting whose protection against electric shock is based on a safety extra low voltage supply SELV, in which voltages higher than those of SELV are not generated
-  Suitable for installation on normally flammable surfaces
-  Product in conformity with the requirements of relevant European Safety standards
-  Product in conformity with the requirements of relevant Eurasian standards
-  Product in conformity with the requirements of relevant Ukrainian standards



# SYMBOLS GLOSSARY

	LED lamp		Fitting hole for recessed luminaires in mm
	Electronic control gear included		Recommended height
	Control gear not included		Tilting angle
	Made of		Minimum bend radius
	Diffuser		Length of roll
<b>AL</b>	Aluminum		-LEDs/cut Cutting length
<b>PC</b>	Polycarbonate		RGB color change
<b>INOX</b>	Stainless steel		Tunable white color change
<b>PMMA</b>	Polymethyl methacrylate		Light distribution: wall-washing
<b>GL</b>	Glass		Recommended tape width
<b>48V</b>	Power supply voltage 48V		Light transmission of diffuser
<b>42V</b>	Power supply voltage 42V		Installation in wooden panels
<b>24V</b>	Power supply voltage 24V		Installed before facing
<b>STEEL</b>	Low profile metal casing		



# Contact Us

Hoset group

[myynti@hoset.fi](mailto:myynti@hoset.fi)

<http://hoset.fi>